

Creation Date Oct-2013

Revision Date Oct-2018

Revision Number 2

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identification

<b>Product Description:</b>	<b><u>Ammonium hydroxide, 25-30% solution in water</u></b>
<b>Product Grade:</b>	SQ, ER
<b>Cat No.:</b>	Q11237, Q1123N, Q16225, Q16227, Q16228, Q11235, Q1123Z, Q11236, Q11238, Q1123C, Q16195, Q16197, Q16226, Q1621C
<b>CAS-No</b>	1336-21-6
<b>Molecular Formula</b>	NH <sub>4</sub> OH
<b>Synonyms</b>	Ammonia solution; Ammonia water; Ammonium hydrate
<b>Reach Registration Number</b>	01-211948876-14 (for the anhydrous form)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Recommended Use</b>	Laboratory chemicals.
<b>Uses advised against</b>	No Information available

### 1.3. Details of the supplier of the safety data sheet

<b>Company</b>	Thermo Fisher Scientific India Pvt. Ltd 403-404, B-wing, Delphi, Hiranandani Business Park, Powai, Mumbai 400076, INDIA.
<b>E-mail address</b>	<a href="mailto:laboratorysolutions@thermofisher.com">laboratorysolutions@thermofisher.com</a>

### 1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30  
Chemtrec US: (800) 424-9300  
Chemtrec EU: 001 (202) 483-7616

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

Skin Corrosion/irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Specific target organ toxicity - (single exposure)	Category 3 (H335)

#### Environmental hazards

Acute aquatic toxicity	Category 1 (H400)
------------------------	-------------------

### 2.2. Label elements

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018



Signal Word

Danger

## Hazard Statements

H314 - Causes severe skin burns and eye damage  
H335 - May cause respiratory irritation  
H400 - Very toxic to aquatic life

## Precautionary Statements

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower  
P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/ physician

## 2.3. Other hazards

No information available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Ammonium hydroxide	1336-21-6	215-647-6	25-30	Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
Ammonia	7664-41-7	EEC No. 231-635-3	-	Flam. Gas 2 (H221) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) (EUH071)
Water	7732-18-5	231-791-2	70-75	-

Reach Registration Number

01-2119488876-14 (for the anhydrous form)

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Ingestion</b>	Do not induce vomiting. Call a physician or Poison Control Centre immediately.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
<b>Protection of First-aiders</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## **4.2. Most important symptoms and effects, both acute and delayed**

Causes burns by all exposure routes. . Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **5.2. Special hazards arising from the substance or mixture**

Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>).

### **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors.

### **6.2. Environmental precautions**

Should not be released into the environment. Keep out of waterways. Collect spillage. See Section 12 for additional ecological information.

### **6.3. Methods and material for containment and cleaning up**

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not ingest. Do not breathe vapors or spray mist.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s):

Component	European Union	The United Kingdom	France	Belgium	Spain
Ammonia	TWA: 20 ppm 8 hr TWA: 14 mg/m <sup>3</sup> 8 hr STEL: 50 ppm 15 min STEL: 36 mg/m <sup>3</sup> 15 min	STEL: 35 ppm 15 min STEL: 25 mg/m <sup>3</sup> 15 min TWA: 25 ppm 8 hr TWA: 18 mg/m <sup>3</sup> 8 hr	TWA / VME: 10 ppm (8 heures). restrictive limit TWA / VME: 7 mg/m <sup>3</sup> (8 heures). restrictive limit STEL / VLCT: 20 ppm. restrictive limit STEL / VLCT: 14 mg/m <sup>3</sup> . restrictive limit	TWA: 20 ppm 8 uren TWA: 14 mg/m <sup>3</sup> 8 uren STEL: 50 ppm 15 minuten STEL: 36 mg/m <sup>3</sup> 15 minuten	STEL / VLA-EC: 50 ppm (15 minutos). STEL / VLA-EC: 36 mg/m <sup>3</sup> (15 minutos). TWA / VLA-ED: 20 ppm (8 horas) TWA / VLA-ED: 14 mg/m <sup>3</sup> (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Ammonium hydroxide					STEL: 50 ppm 15 minuutteina STEL: 36 mg/m <sup>3</sup> 15 minuutteina
Ammonia	TWA: 20 ppm 8 ore. Media Ponderata nel Tempo TWA: 14 mg/m <sup>3</sup> 8 ore. Media Ponderata nel Tempo STEL: 50 ppm 15 minuti. Breve termine STEL: 36 mg/m <sup>3</sup> 15 minuti. Breve termine	TWA: 20 ppm (8 Stunden). AGW - exposure factor 2 TWA: 14 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 20 ppm (8 Stunden). MAK TWA: 14 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 40 ppm Höhepunkt: 28 mg/m <sup>3</sup>	STEL: 50 ppm 15 minutos STEL: 36 mg/m <sup>3</sup> 15 minutos TWA: 20 ppm 8 horas TWA: 14 mg/m <sup>3</sup> 8 horas	STEL: 36 mg/m <sup>3</sup> 15 minuten TWA: 14 mg/m <sup>3</sup> 8 uren	TWA: 20 ppm 8 tunteina TWA: 14 mg/m <sup>3</sup> 8 tunteina STEL: 50 ppm 15 minuutteina STEL: 36 mg/m <sup>3</sup> 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Ammonia	MAK-KZW: 50 ppm 15 Minuten MAK-KZW: 36 mg/m <sup>3</sup> 15	TWA: 20 ppm 8 timer TWA: 14 mg/m <sup>3</sup> 8 timer	STEL: 40 ppm 15 Minuten STEL: 28 mg/m <sup>3</sup> 15	STEL: 28 mg/m <sup>3</sup> 15 minutach TWA: 14 mg/m <sup>3</sup> 8	TWA: 15 ppm 8 timer TWA: 11 mg/m <sup>3</sup> 8 timer TWA: 20 ppm 8 timer

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

	Minuten MAK-TMW: 20 ppm 8 Stunden MAK-TMW: 14 mg/m <sup>3</sup> 8 Stunden		Minuten TWA: 20 ppm 8 Stunden TWA: 14 mg/m <sup>3</sup> 8 Stunden	godzinach	STEL: 15 ppm 15 minutter. STEL: 11 mg/m <sup>3</sup> 15 minutter. STEL: 20 ppm 15 minutter. this Norm applies only on farmers during a transition period from 2013 to 2014 and at livestock production farms which were constructed before the year 2002
--	---	--	---	-----------	--

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Ammonia	TWA: 14.0 mg/m <sup>3</sup> TWA: 20 ppm STEL : 50 ppm STEL : 36.0 mg/m <sup>3</sup>	kože TWA-GVI: 20 ppm 8 satima. TWA-GVI: 14 mg/m <sup>3</sup> 8 satima. STEL-KGVI: 50 ppm 15 minutama. STEL-KGVI: 36 mg/m <sup>3</sup> 15 minutama.	TWA: 20 ppm 8 hr. anhydrous TWA: 14 mg/m <sup>3</sup> 8 hr. anhydrous STEL: 50 ppm 15 min STEL: 36 mg/m <sup>3</sup> 15 min	STEL: 50 ppm STEL: 36 mg/m <sup>3</sup> TWA: 20 ppm TWA: 14 mg/m <sup>3</sup>	TWA: 14 mg/m <sup>3</sup> 8 hodinách. Ceiling: 36 mg/m <sup>3</sup>

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Ammonia	TWA: 20 ppm 8 tundides. TWA: 14 mg/m <sup>3</sup> 8 tundides. STEL: 50 ppm 15 minutites. STEL: 36 mg/m <sup>3</sup> 15 minutites.		STEL: 50 ppm STEL: 35 mg/m <sup>3</sup> TWA: 50 ppm TWA: 35 mg/m <sup>3</sup>	STEL: 36 mg/m <sup>3</sup> 15 percekben. CK TWA: 14 mg/m <sup>3</sup> 8 óraban. AK	STEL: 50 ppm 5 minutes STEL: 36 mg/m <sup>3</sup> 5 minutes TWA: 20 ppm 8 klukkustundum. TWA: 14 mg/m <sup>3</sup> 8 klukkustundum. Skin notation Ceiling: 40 ppm Ceiling: 28 mg/m <sup>3</sup>

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Ammonia	STEL: 50 ppm STEL: 36 mg/m <sup>3</sup> TWA: 20 ppm TWA: 14 mg/m <sup>3</sup>	TWA: 20 ppm IPRD TWA: 14 mg/m <sup>3</sup> IPRD STEL: 50 ppm STEL: 36 mg/m <sup>3</sup>	TWA: 20 ppm 8 Stunden TWA: 14 mg/m <sup>3</sup> 8 Stunden STEL: 50 ppm 15 Minuten STEL: 36 mg/m <sup>3</sup> 15 Minuten	TWA: 20 ppm TWA: 14 mg/m <sup>3</sup> STEL: 50 ppm 15 minuti STEL: 36 mg/m <sup>3</sup> 15 minuti	TWA: 20 ppm 8 ore TWA: 14 mg/m <sup>3</sup> 8 ore STEL: 50 ppm 15 minute STEL: 36 mg/m <sup>3</sup> 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Ammonia	MAC: 20 mg/m <sup>3</sup>	Ceiling: 36 mg/m <sup>3</sup> TWA: 20 ppm TWA: 14 mg/m <sup>3</sup>	TWA: 20 ppm 8 urah TWA: 14 mg/m <sup>3</sup> 8 urah STEL: 50 ppm 15 minutah anhydrous STEL: 35 mg/m <sup>3</sup> 15 minutah anhydrous	LLV: 20 ppm 8 timmar. LLV: 14 mg/m <sup>3</sup> 8 timmar. CLV: 50 ppm 5 min CLV: 36 mg/m <sup>3</sup> 5 min	TWA: 20 ppm 8 saat TWA: 14 mg/m <sup>3</sup> 8 saat STEL: 50 ppm 15 dakika STEL: 36 mg/m <sup>3</sup> 15 dakika

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

**Derived No Effect Level (DNEL)** See table for values; Workers

<u>Route of exposure</u>	<b>Acute effects (local)</b>	<b>Acute effects (systemic)</b>	<b>Chronic effects (local)</b>	<b>Chronic effects (systemic)</b>
<b>Oral</b>				
<b>Dermal</b>		6.8 mg/kg bw/day		6.8 mg/kg bw/day
<b>Inhalation</b>	36 mg/m <sup>3</sup>	47.6 mg/m <sup>3</sup>	14 mg/m <sup>3</sup>	47.6 mg/m <sup>3</sup>

**Predicted No Effect Concentration (PNEC)** See values below.

<b>Fresh water</b>	0.0011 mg/l
<b>Marine water</b>	0.0011 mg/l
<b>Water Intermittent</b>	0.0068 mg/l

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

<b>Eye Protection</b>	Goggles (European standard - EN 166)
<b>Hand Protection</b>	Protective gloves

<b>Glove material</b>	<b>Breakthrough time</b>	<b>Glove thickness</b>	<b>EU standard</b>	<b>Glove comments</b>
Butyl rubber	> 480 minutes	0.5 mm	EN 374	(minimum requirement)
Viton (R)	> 480 minutes	0.4 mm		
Neoprene	> 480 minutes	0.45 mm		

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Inorganic gases and vapours filter Type B Grey or Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387

### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

## 9.1. Information on basic physical and chemical properties

Appearance	Colorless	
Physical State	Liquid	
Odor	Ammonia-like	
Odor Threshold	No data available	
pH	12	
Melting Point/Range	-57 °C / -70.6 °F	
Softening Point	No data available	
Boiling Point/Range	38 °C / 100.4 °F	
Flash Point	No information available	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	<b>Lower</b> 15 Vol% <b>Upper</b> 28 Vol%	
Vapor Pressure	500 hPa @ 20 °C	
Vapor Density	0.59	(Air = 1.0)
Specific Gravity / Density	0.88-0.91	
Bulk Density	Not applicable	Liquid
Water Solubility	soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	<b>log Pow</b>	
Ammonia	-1.14	
Autoignition Temperature	651 °C / 1203.8 °F	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

## 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### Hazardous Reactions

None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

Strong oxidizing agents. Metals. Acids. Fluorine. Halogens.

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Product Information

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

**(a) acute toxicity;**

**Oral**

Based on ATE data, the classification criteria are not met

**Dermal**

Based on ATE data, the classification criteria are not met

**Inhalation**

Based on ATE data, the classification criteria are not met

**Toxicology data for the components**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium hydroxide	-		
Ammonia	LD50 = 350 mg/kg ( Rat )		LC50 = 2000 ppm ( Rat ) 4 h
Water	-		

**(b) skin corrosion/irritation;**

Category 1 B

**(c) serious eye damage/irritation;**

Category 1

**(d) respiratory or skin sensitization;**

**Respiratory**

No data available

**Skin**

No data available

**(e) germ cell mutagenicity;**

No data available

**(f) carcinogenicity;**

No data available

There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;**

No data available

**(h) STOT-single exposure;**

Category 3

**Results / Target organs**

Respiratory system.

**(i) STOT-repeated exposure;**

No data available

**Target Organs**

No information available.

**(j) aspiration hazard;**

No data available

**Symptoms / effects, both acute and delayed**

Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity effects**

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ammonium hydroxide	0.53 mg/l LC50 96h 0.75 - 3.4 mg/l LC50 96h 8.2 mg/L LC50 96h	EC50: 0.66 mg/L/48h	-	-
Ammonia	LC50: = 1.19 mg/L, 96h static (Poecilia reticulata) LC50: > 1.5 mg/L, 96h (Poecilia reticulata) LC50: = 5.9 mg/L, 96h static (Pimephales)	EC50 = 25.4 mg/L 48h		EC50 = 2.0 mg/L 5 min



# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

	<p>promelas) LC50: 0.73 - 2.35 mg/L, 96h (Pimephales promelas) LC50: = 1.17 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 0.26 - 4.6 mg/L, 96h (Lepomis macrochirus) LC50: = 0.44 mg/L, 96h (Cyprinus carpio)</p>			
--	--	--	--	--

## 12.2. Persistence and degradability

### Persistence

Persistence is unlikely, based on information available.

### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## 12.3. Bioaccumulative potential

Does not bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Ammonia	-1.14	No data available

## 12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Disperses rapidly in air

## 12.5. Results of PBT and vPvB assessment

No data available for assessment.

## 12.6. Other adverse effects

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

### Persistent Organic Pollutant

This product does not contain any known or suspected substance

### Ozone Depletion Potential

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues / Unused Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

#### Other Information

Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge. Do not let this chemical enter the environment.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### 14.1. UN number

UN2672

#### 14.2. UN proper shipping name

AMMONIA SOLUTION

#### 14.3. Transport hazard class(es)

8

#### 14.4. Packing group

III

### ADR

#### 14.1. UN number

UN2672

#### 14.2. UN proper shipping name

AMMONIA SOLUTION

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

## IATA

**14.1. UN number** UN2672  
**14.2. UN proper shipping name** AMMONIA SOLUTION  
**14.3. Transport hazard class(es)** 8  
**14.4. Packing group** III

**14.5. Environmental hazards** Dangerous for the environment  
Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Ammonium hydroxide	215-647-6	-		X	X	-	X	X	X	X	X
Ammonia	231-635-3	-		X	X	-	X	X	X	X	X
Water	231-791-2	-		X	X	-	X	-	X	X	X

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Ammonia	50 tonne	200 tonne

#### National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Ammonium hydroxide	WGK 2	
Ammonia	WGK 2	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H221 - Flammable gas  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H331 - Toxic if inhaled  
H335 - May cause respiratory irritation  
H400 - Very toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects  
EUH071 - Corrosive to the respiratory tract

#### Legend

# SAFETY DATA SHEET

Ammonium hydroxide, 25-30% solution in water

Revision Date Oct-2018

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

## Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**PNEC** - Predicted No Effect Concentration

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - Volatile Organic Compounds

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

**Creation Date** Oct-2013

**Next Revision Date** Oct-2023

**Revision Summary** SDS section 1 updated and update of Format

## This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet