

Creation Date Oct-2013 Revision Date Oct-2018 Revision Number 2

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identification

Product Description: Charcoal, Activated

Product Grade: SQ

Cat No.: Q22408,Q2236C,Q2236T,Q2238C,Q22395,Q22398,Q2239C,Q2240C

 Synonyms
 Activated carbon

 CAS-No
 7440-44-0

 EC-No.
 231-153-3

Molecular Formula C

Reach Registration Number 01-2119488716-22

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company Thermo Fisher Scientific India Pvt. Ltd

403-404, B-wing, Delphi, Hiranandani Business Park,

Powai, Mumbai 400076, INDIA.

E-mail address laboratorysolutions@thermofisher.com

1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30 Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

## Physical hazards

Self-heating substances/mixtures Category 2 (H252)

#### **Health hazards**

Based on available data, the classification criteria are not met

#### **Environmental hazards**

Based on available data, the classification criteria are not met

#### 2.2. Label elements

Charcoal, Activated Revision Date Oct-2018



Signal Word Warning

#### **Hazard Statements**

H252 - Self-heating in large quantities; may catch fire

#### **Precautionary Statements**

P235 + P410 - Keep cool. Protect from sunlight

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

#### 2.3. Other hazards

No information available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

| Component          | CAS-No    | EC-No.            | Weight % | CLP Classification - Regulation (EC) No |  |  |  |
|--------------------|-----------|-------------------|----------|---|--|--|--|
|                    |           |                   |          | 1272/2008                               |  |  |  |
| Activated charcoal | 7440-44-0 | EEC No. 231-153-3 | >95      | Self-heat. 2 (H252)                     |  |  |  |

| Reach Registration Number | 01-2119488716-22 |
|---------------------------|------------------|

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Ingestion** Do not induce vomiting. Obtain medical attention.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if

symptoms occur.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

Charcoal, Activated Revision Date Oct-2018

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Containers may explode when heated. Fine dust dispersed in air may ignite. Self-heating; exposure to air may cause substance to self-heat without an energy supply.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

#### 6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Fine dust dispersed in air may ignite.

Charcoal, Activated Revision Date Oct-2018

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep at temperatures below 50°C.

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement.

| Component          | European Union | The United Kingdom       | France | Belgium | Spain |
|--------------------|----------------|--------------------------|--------|---------|-------|
| Activated charcoal |                | TWA: 10mg/m <sup>3</sup> |        |         |       |

| Component          | Austria                          | Denmark | Switzerland | Poland                       | Norway |
|--------------------|----------------------------------|---------|-------------|------------------------------|--------|
| Activated charcoal | MAK-KZW: 10 mg/m <sup>3</sup> 15 |         |             | TWA: 4.0 mg/m <sup>3</sup> 8 |        |
|                    | Minuten                          |         |             | godzinach                    |        |
|                    | MAK-TMW: 5 mg/m <sup>3</sup> 8   |         |             | TWA: 1.0 mg/m <sup>3</sup> 8 |        |
|                    | Stunden                          |         |             | godzinach                    |        |
|                    |                                  |         |             | TWA: 6.0 mg/m <sup>3</sup> 8 |        |
|                    |                                  |         |             | godzinach                    |        |

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL)

No information available

| Route of exposure | Acute effects (local) | Acute effects | Chronic effects        | Chronic effects |
|-------------------|-----------------------|---------------|------------------------|-----------------|
| Oral              |                       | (systemic)    | (local)                | (systemic)      |
| Dermal            |                       |               |                        |                 |
| Inhalation        |                       |               | 1.84 mg/m <sup>3</sup> |                 |
|                   |                       |               |                        |                 |

Predicted No Effect Concentration No information available.

Charcoal, Activated Revision Date Oct-2018

(PNEC)

Soil (Agriculture) 10 mg/kg dw

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Safety glasses with side-shields (European standard - EN 166)

Hand Protection Protective gloves

| Glove material Nitrile rubber Neoprene Natural rubber PVC  Breakthrough time See manufacturers recommendations | Glove thickness - | <b>EU standard</b><br>EN 374 | Glove comments<br>(minimum requirement) |
|--|-------------------|------------------------------|---|
|--|-------------------|------------------------------|---|

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Appearance Black
Physical State Solid Powder

i ilysicai state

Odorless Odorless

Odor Threshold No data available

**pH** 2.0- 3.5

Charcoal, Activated Revision Date Oct-2018

3652 °C / 6605.6 °F Melting Point/Range **Softening Point** No data available **Boiling Point/Range** No information available

Flash Point Method - No information available No data available Solid

Not applicable **Evaporation Rate** Flammability (solid,gas) No information available

No data available **Explosion Limits** 

**Vapor Pressure** No data available Vapor Density Not applicable

Specific Gravity / Density No data available **Bulk Density** No data available Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Autoignition Temperature** 

No data available **Decomposition Temperature** Not applicable Viscosity

No information available **Explosive Properties** No information available **Oxidizing Properties** 

9.2. Other information

**Molecular Formula** С **Molecular Weight** 12

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity Yes

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Avoid dust formation. Keep away from open flames,

Solid

Solid

hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

**Product Information** 

(a) acute toxicity;

Charcoal, Activated Revision Date Oct-2018

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

 Component
 LD50 Oral
 LD50 Dermal
 LC50 Inhalation

 Activated charcoal
 LD50 > 10000 mg/kg ( Rat )
 LD50 Dermal
 LC50 Inhalation

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs Respiratory system, Central Vascular System (CVS).

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects

Symptoms / effects,both acute and No information available

delayed

## **SECTION 12: ECOLOGICAL INFORMATION**

See actual entry in RTECS for complete information

12.1. Toxicity

**Ecotoxicity effects**Contains no substances known to be hazardous to the environment or that are not

degradable in waste water treatment plants.

12.2. Persistence and degradability

Persistence Insoluble in water.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

12.4. Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

Charcoal, Activated Revision Date Oct-2018

solubility.

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues / Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not dispose of waste into sewer. Can be incinerated, when in compliance

with local regulations.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN1362

14.2. UN proper shipping name Carbon, activated

14.3. Transport hazard class(es) 4.2 14.4. Packing group III

**ADR** 

**14.1. UN number** UN1362

14.2. UN proper shipping name Carbon, activated

14.3. Transport hazard class(es) 4.2 14.4. Packing group

<u>IATA</u>

**14.1. UN number** UN1362

**14.2. UN proper shipping name** Carbon, activated

14.3. Transport hazard class(es) 4.2 14.4. Packing group III

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

**IBC Code** 

Charcoal, Activated Revision Date Oct-2018

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** X = listed

| Component          | EINECS    | <b>ELINCS</b> | NLP | TSCA | DSL | NDSL | PICCS | ENCS | IECSC | AICS | KECL |
|--------------------|-----------|---------------|-----|------|-----|------|-------|------|-------|------|------|
| Activated charcoal | 231-153-3 | -             |     | Χ    | Х   | -    | X     | -    | Х     | X    | Χ    |

#### **National Regulations**

| Component          | Germany - Water Classification (VwVwS)         | Germany - TA-Luft Class |
|--------------------|--|-------------------------|
| Activated charcoal | nwg - nicht wassergefährdend (non-hazardous to |                         |
|                    | waters)  |                         |

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### SECTION 16: OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

H252 - Self-heating in large quantities; may catch fire

## Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level **RPE** - Respiratory Protective Equipment

LC50 - Lethal Concentration 50% No Observed Effect Concentration

Persistent, Bioaccumulative, Toxic ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

#### Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit

LD50 - Lethal Dose 50%

TWA - Time Weighted Average

EC50 - Effective Concentration 50% NOEC -POW - Partition coefficient Octanol:Water PBT -

IARC - International Agency for Research on Cancer PNEC - Predicted No Effect Concentration

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate VOC - Volatile Organic Compounds

Charcoal, Activated Revision Date Oct-2018

and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation DateOct-2013Revision DateOct-2023

**Revision Summary** SDS section 1 updated and update of Format.

## This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**