

Creation Date Oct-2013 Revision Date Oct-2018 Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: <u>Cyclohexanone</u>

Product Grade: SQ, ER

Cat No.:Q18235, Q18265, Q18267, Q1826CSynonymsKetohexamethylene; Pimelic ketone.

 CAS-No
 108-94-1

 EC-No.
 203-631-1

 Molecular Formula
 C6 H10 O

Reach Registration Number 01-2119453616-35

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Thermo Fisher Scientific India Pvt. Ltd

403-404, B-wing, Delphi, Hiranandani Business Park,

Powai, Mumbai 400076, INDIA.

E-mail address | laboratorysolutions@thermofisher.com

1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30 Chemtrec US: (800)424-9300 Chemtrec EU: 001(202)483-7616

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids Category 3 (H226)

Health hazards

Acute oral toxicityCategory 4 (H302)Acute dermal toxicityCategory 4 (H312)Acute Inhalation Toxicity - VaporsCategory 4 (H332)Skin Corrosion/irritationCategory 2 (H315)Serious Eye Damage/Eye IrritationCategory 1 (H318)

Environmental hazards

Based on available data, the classification criteria are not met

Cyclohexanone Revision Date Oct-2018

2.2. Label elements



Signal Word Danger

Hazard Statements

H226 - Flammable liquid and vapor

H332 - Harmful if inhaled

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

Precautionary Statements

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/ physician

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB) No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Cyclohexanone	108-94-1	EEC No. 203-631-1	>95	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Eye Dam. 1 (H318) Skin Irrit. 2 (H315) Flam. Liq. 3 (H226)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

FSUC9050

Cyclohexanone Revision Date Oct-2018

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Move to fresh air. Obtain medical attention. If not breathing, give artificial respiration.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Breathing difficulties. Causes eye burns. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.

Extinguishing media which must not be used for safety reasons

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

6.4. Reference to other sections

Cyclohexanone Revision Date Oct-2018

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Use explosion-proof equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Cyclohexanone	TWA: 10 ppm 8 hr	STEL: 20 ppm 15 min	TWA / VME: 10 ppm (8	TWA: 10 ppm 8 uren	STEL / VLA-EC: 20 ppm
-	TWA: 40.8 mg/m ³ 8 hr	STEL: 82 mg/m ³ 15 min	heures). restrictive limit	TWA: 40.8 mg/m ³ 8	(15 minutos). STEL /
	STEL: 20 ppm 15 min	TWA: 10 ppm 8 hr	TWA / VME: 40.8 mg/m ³	uren	VLA-EC: 82 mg/m ³ (15
	STEL: 81.6 mg/m ³ 15	TWA: 41 mg/m ³ 8 hr	(8 heures). restrictive	STEL: 20 ppm 15	minutos). TWA / VLA-
	min	Skin	limit	minuten	ED: 10 ppm (8 horas)
	Possibility of significant		STEL / VLCT: 20 ppm.	STEL: 81.6 mg/m ³ 15	TWA / VLA-ED: 41
	uptake through the skin		restrictive limit	minuten	mg/m³ (8 horas)
			STEL / VLCT: 81.6	Huid	Piel
			mg/m ³ . restrictive limit		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Cyclohexanone	TWA: 10 ppm 8 ore.	TWA: 20 ppm (8	STEL: 20 ppm 15	huid	TWA: 10 ppm 8 tunteina
	Media Ponderata nel	Stunden). AGW -	minutos	STEL: 50 mg/m ³ 15	TWA: 41 mg/m ³ 8
	Tempo	exposure factor 1	STEL: 81.6 mg/m ³ 15	minuten	tunteina
	TWA: 40.8 mg/m ³ 8 ore.	TWA: 80 mg/m ³ (8	minutos		STEL: 20 ppm 15
	Media Ponderata nel	Stunden). AGW -	TWA: 10 ppm 8 horas		minuutteina
	Tempo	exposure factor 1	TWA: 40.8 mg/m ³ 8		STEL: 82 mg/m ³ 15
	STEL: 20 ppm 15	Haut	horas		minuutteina
	minuti. Breve termine		Pele		lho
	STEL: 81.6 mg/m ³ 15				
	minuti. Breve termine				
	Pelle				

Component	Austria	Denmark	Switzerland	Poland	Norway
Cyclohexanone	Haut MAK-KZW: 20 ppm 15 Minuten MAK-KZW: 80 mg/m³ 15 Minuten	Hud	Haut/Peau STEL: 50 ppm 15 Minuten STEL: 200 mg/m³ 15 Minuten	STEL: 80 mg/m³ 15 minutach TWA: 40 mg/m³ 8 godzinach	TWA: 10 ppm 8 timer TWA: 40 mg/m³ 8 timer STEL: 10 ppm 15 minutter. STEL: 40 mg/m³ 15

Cyclohexanone Revision Date Oct-2018

Stunden MAK-TMW: 20 mg/m³ 8 Stunden Stunden Hud TWA: 100 mg/m³ 8 Stunden
--

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Cyclohexanone	TWA: 10 ppm TWA: 40.8 mg/m³ STEL : 20 ppm STEL : 81.6 mg/m³ Skin notation	kože TWA-GVI: 10 ppm 8 satima. TWA-GVI: 40.8 mg/m³ 8 satima. STEL-KGVI: 20 ppm 15 minutama. STEL-KGVI: 81.6 mg/m³ 15 minutama.	min Skin	STEL: 20 ppm STEL: 81.6 mg/m³ TWA: 10 ppm TWA: 40.8 mg/m³	TWA: 40 mg/m³ 8 hodinách. Potential for cutaneous absorption Ceiling: 80 mg/m³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Cyclohexanone	Nahk TWA: 10 ppm 8 tundides. TWA: 40.8 mg/m³ 8 tundides. STEL: 20 ppm 15 minutites. STEL: 81.6 mg/m³ 15 minutites.	Skin notation TWA: 10 ppm 8 hr TWA: 40.8 mg/m³ 8 hr STEL: 20 ppm 15 min STEL: 81.6 mg/m³ 15 min	skin - potential for cutaneous absorption STEL: 100 ppm STEL: 400 mg/m³ TWA: 50 ppm TWA: 200 mg/m³	STEL: 81.6 mg/m³ 15 percekben. CK TWA: 40.8 mg/m³ 8 órában. AK lehetséges borön keresztüli felszívódás	STEL: 20 ppm STEL: 81.6 mg/m³ TWA: 10 ppm 8 klukkustundum. TWA: 40 mg/m³ 8 klukkustundum. Skin notation Ceiling: 20 ppm Ceiling: 80 mg/m³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Cyclohexanone	skin - potential for	TWA: 10 ppm IPRD	Possibility of significant	possibility of significant	Skin notation TWA: 10
	cutaneous exposure	TWA: 40.8 mg/m ³ IPRD	uptake through the skin	uptake through the skin	ppm 8 ore TWA: 40.8
	STEL: 20 ppm	Oda	TWA: 10 ppm 8	TWA: 10 ppm	mg/m ³ 8 ore STEL: 20
	STEL: 81.6 mg/m ³	STEL: 20 ppm	Stunden	TWA: 40.8 mg/m ³	ppm 15 minute
	TWA: 10 ppm	STEL: 81.6 mg/m ³	TWA: 40.8 mg/m ³ 8	STEL: 20 ppm 15 minuti	STEL: 81.6 mg/m ³ 15
	TWA: 40.8 mg/m ³		Stunden	STEL: 81.6 mg/m ³ 15	minute
	_		STEL: 20 ppm 15	minuti	
			Minuten		
			STEL: 81.6 mg/m ³ 15		
			Minuten		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Cyclohexanone	TWA: 10 mg/m ³	Ceiling: 82 mg/m ³	TWA: 10 ppm 8 urah	STV: 20 ppm 15 minuter	Deri
	STEL: 30 mg/m ³ vapor	Potential for cutaneous	TWA: 40.8 mg/m ³ 8	STV: 81 mg/m ³ 15	TWA: 10 ppm 8 saat
		absorption	urah	minuter	TWA: 40.8 mg/m³ 8 saat
		TWA: 10 ppm	Koža	LLV: 10 ppm 8 timmar.	STEL: 20 ppm 15
		TWA: 40.8 mg/m ³	STEL: 20 ppm 15	LLV: 41 mg/m ³ 8	dakika
			minutah	timmar.	STEL: 81.6 mg/m ³ 15
			STEL: 81.6 mg/m ³ 15	Hud	dakika
			minutah		

Biological limit values

List source(s): **UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

Component	European Union	United Kingdom	France	Spain	Germany
Cyclohexanone		Cyclohexanol: 2 mmol/mol creatinine urine post shift		1,2-Cyclohexanodiol (with hydrolysis): 80 mg/L urine end of workweek Cyclohexanol (with hydrolysis): 8 mg/L urine end of shift	

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Cyclohexanone Revision Date Oct-2018

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) See table for values

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal			10 mg/kg/day	20 mg/kg/day
Inhalation			20 mg/m ³	20 mg/m ³

Predicted No Effect Concentration See values below.

(PNEC)

0.329 mg/l Fresh water Fresh water sediment 0.0951 mg/l Marine water 0.0329 mg/l Soil (Agriculture) 0.0143 mg/kg

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eve Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Butyl rubber Viton (R) Nitrile rubber	Breakthrough time > 480 minutes > 480 minutes	Glove thickness 0.35 mm 0.70 mm	EU standard Level 6 EN 374	Glove comments As tested under EN374-3 Determination of Resistance to Permeation by Chemicals
Neoprene Nitrile rubber	< 100 minutes < 60 minutes	0.45 mm 0.38 mm		

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
	To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
	Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
	Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
	When RPF is used a face piece Fit Test should be conducted

Cyclohexanone Revision Date Oct-2018

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

> @ 760 mmHg Method - Closed cup

Liquid

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colorless **Physical State** Liquid

Odor mint-like **Odor Threshold** 0.12 ppm

pН No information available -47 °C / -52.6 °F Melting Point/Range **Softening Point** No data available **Boiling Point/Range** 155 °C / 311 °F

Flash Point 46 °C / 114.8 °F **Evaporation Rate**

No data available Flammability (solid,gas) Not applicable

Explosion Limits Lower 1.1 vol%

Upper 8.1 vol%

4.5 mbar @ 20 °C Vapor Pressure

Vapor Density 3.4 (Air = 1.0)

Specific Gravity / Density 0.947

Bulk Density Not applicable Liquid

Water Solubility soluble

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

log Pow Component Cyclohexanone 0.86

520 - °C / 968 - °F **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** 2.2 mPas @ 20°C

No information available **Explosive Properties** explosive air/vapour mixtures possible No information available

Oxidizing Properties

9.2. Other information

Molecular Formula C6 H10 O **Molecular Weight** 98.14

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials Strong oxidizing agents. Strong acids. . Strong bases.

10.6. Hazardous decomposition products

Cyclohexanone Revision Date Oct-2018

Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity;

OralCategory 4DermalCategory 4InhalationCategory 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cyclohexanone	LD50 = 1544 mg/kg (Rat)	LD50 = 947 mg/kg (Rabbit)	LC50 = 8000 ppm (Rat) 4 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

RespiratorySkin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Cyclohexanone			Cat. 3B	

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure: Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Cyclohexanone	Leusiscus idus: LC50>500mg/L 48h	EC50: = 800 mg/L, 24h (Daphnia magna)	EC50: = 20 mg/L, 96h (Chlorella vulgaris)	EC50 = 18.5 mg/L 5 min EC50 = 21.3 mg/L 10 min EC50 = 25 mg/L 5 min

12.2. Persistence and degradability Readily biodegradable

Revision Date Oct-2018 Cyclohexanone

Persistence based on information available, May persist. Contains no substances known to be hazardous to the environment or not degradable in Degradation in sewage waste water treatment plants. Contains substances known to be hazardous to the treatment plant environment or not degradable in waste water treatment plants.

May have some potential to bioaccumulate 12.3. Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)
Cyclohexanone	0.86	No data available

12.4. Mobility in soil The product is insoluble and floats on water The product is water soluble, and may spread in water systems The product evaporates slowly Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the environment due to its water solubility.

Disperses rapidly in air: Highly mobile in soils: Spillage unlikely to penetrate soil

12.5. Results of PBT and vPvB Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB). assessment

12.6. Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused **Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue. (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information

Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be incinerated, when in compliance with local regulations. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN1915 14.1. UN number

14.2. UN proper shipping name CYCLOHEXANONE

14.3. Transport hazard class(es) 3 14.4. Packing group Ш

ADR

14.1. UN number UN1915

14.2. UN proper shipping name **CYCLOHEXANONE**

14.3. Transport hazard class(es) 14.4. Packing group Ш

IATA

UN1915 14.1. UN number

14.2. UN proper shipping name **CYCLOHEXANONE**

14.3. Transport hazard class(es) 3 14.4. Packing group Ш

Revision Date Oct-2018 Cyclohexanone

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

			-								
Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Cyclohexanone	203-631-1	-		Х	Χ	-	X	Х	Х	Х	X

National Regulations

	Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Ī	Cyclohexanone	WGK 1	

Component	France - INRS (Tables of occupational diseases)
Cyclohexanone	Tableaux des maladies professionnelles (TMP) - RG 84

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

CAS - Chemical Abstracts Service

H318 - Causes serious eye damage

H332 - Harmful if inhaled

Legend

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TSCA - United States Toxic Substances Control Act Section 8(b)

Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

FSUC9050

Cyclohexanone Revision Date Oct-2018

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - Volatile Organic Compounds

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hvaiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Creation Date Oct-2013 **Next Revision Date** Oct-2023

Revision Summary SDS section 1 updated and update of Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet