

Creation Date Oct-2013 Revision Date Oct-2018 Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: Formic acid

 Product Grade:
 SQ

 Cat No. :
 Q24205

 Synonyms
 Methanoic acid

 CAS-No
 64-18-6

 EC-No.
 200-579-1

 Molecular Formula
 C H2 O2

Reach Registration Number 01-2119491174-37

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Thermo Fisher Scientific India Pvt. Ltd

403-404, B-wing, Delphi, Hiranandani Business Park,

Powai, Mumbai 400076, INDIA.

E-mail address laboratorysolutions@thermofisher.com

1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30 Chemtrec US: (800)424-9300 Chemtrec EU: 001(202)483-7616

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids Category 3 (H226)

Health hazards

Acute oral toxicity
Acute Inhalation Toxicity - Vapors
Skin Corrosion/irritation
Serious Eye Damage/Eye Irritation
Category 1 (H318)
Category 1 (H318)

Environmental hazards

Based on available data, the classification criteria are not met

Formic acid Revision Date Oct-2018

2.2. Label elements



Signal Word

Danger

Hazard Statements

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

EUH071 - Corrosive to the respiratory tract

Precautionary Statements

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB) Lachrymator (substance which increases the flow of tears)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Formic acid	64-18-6	200-579-1	>95	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Skin Corr. 1A (H314) Eye Dam. 1 (H318) Acute Tox. 3 (H331) EUH071

Reach Registration Number 01-2119491174-37
--

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Formic acid Revision Date Oct-2018

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Inhalation Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Move to fresh air. Immediate medical attention is

required. If not breathing, give artificial respiration.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Breathing difficulties. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen, Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for

Formic acid Revision Date Oct-2018

additional ecological information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Do not ingest. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Containers should be vented periodically in order to overcome pressure buildup. Refrigerator/flammables.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Formic acid	TWA: 5 ppm 8 hr	STEL: 15 ppm 15 min	TWA / VME: 5 ppm (8	TWA: 5 ppm 8 uren	TWA / VLA-ED: 5 ppm
	TWA: 9 mg/m ³ 8 hr	STEL: 28.8 mg/m ³ 15	heures). indicative limit	TWA: 9.5 mg/m ³ 8 uren	(8 horas)
		min	TWA / VME: 9 mg/m ³ (8	STEL: 10 ppm 15	TWA / VLA-ED: 9 mg/m ³
		TWA: 5 ppm 8 hr	heures). indicative limit	minuten	(8 horas)
		TWA: 9.6 mg/m ³ 8 hr		STEL: 19 mg/m ³ 15	
				minuten	

Component	Italy	Germany	Portugal	The Netherlands	Finland
Formic acid	TWA: 5 ppm 8 ore.	TWA: 5 ppm (8	STEL: 10 ppm 15	STEL: 5 mg/m ³ 15	TWA: 3 ppm 8 tunteina
	TWA: 9 mg/m ³ 8 ore.	Stunden). AGW -	minutos	minuten	TWA: 5 mg/m ³ 8
		exposure factor 2	TWA: 5 ppm 8 horas		tunteina
		TWA: 9.5 mg/m ³ (8	TWA: 9 mg/m ³ 8 horas		STEL: 10 ppm 15
		Stunden). AGW -	_		minuutteina
		exposure factor 2			STEL: 19 mg/m ³ 15
		TWA: 5 ppm (8			minuutteina
		Stunden). MAK			
		TWA: 9.5 mg/m ³ (8			
		Stunden). MAK			
		Höhepunkt: 10 ppm			

Formic acid Revision Date Oct-2018

		Höhepunkt: 19 mg/m ³			
Component	Austria	Denmark	Switzerland	Poland	Norway
Formic acid	MAK-KZW: 5 ppm 15 Minuten MAK-KZW: 9 mg/m³ 15 Minuten MAK-TMW: 5 ppm 8 Stunden MAK-TMW: 9 mg/m³ 8 Stunden Ceiling:	TWA: 5 ppm 8 timer TWA: 9 mg/m³ 8 timer	STEL: 10 ppm 15 Minuten STEL: 19 mg/m³ 15 Minuten TWA: 5 ppm 8 Stunden TWA: 9.5 mg/m³ 8 Stunden	STEL: 15 mg/m³ 15 minutach TWA: 5 mg/m³ 8 godzinach	TWA: 5 ppm 8 timer TWA: 9 mg/m³ 8 timer STEL: 10 ppm 15 minutter. STEL: 18 mg/m³ 15 minutter.
	5 ppm Ceiling: 9 mg/m ³				

Ī	Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
	Formic acid	TWA: 5 ppm	TWA-GVI: 5 ppm 8	TWA: 5 ppm 8 hr. TWA:	TWA: 5 ppm	TWA: 9 mg/m ³ 8
		TWA: 9.0 mg/m ³	satima. >90%	9 mg/m ³ 8 hr. STEL: 15	TWA: 9 mg/m ³	hodinách.
		_	TWA-GVI: 9 mg/m ³ 8	ppm 15 min STEL: 27		Ceiling: 18 mg/m ³
			satima. >90%	mg/m³ 15 min		

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Formic acid	TWA: 5 ppm 8 tundides. TWA: 9 mg/m ³ 8 tundides.	TWA: 5 ppm 8 hr TWA: 9 mg/m³ 8 hr	TWA: 5 ppm TWA: 9 mg/m³	TWA: 9 mg/m³ 8 órában. AK	TWA: 5 ppm 8 klukkustundum. TWA: 9 mg/m³ 8 klukkustundum. Skin notation Ceiling: 10 ppm Ceiling: 18 mg/m³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Formic acid	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm IPRD TWA: 9 mg/m³ IPRD	TWA: 5 ppm 8 Stunden TWA: 9 mg/m³ 8 Stunden	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm 8 ore TWA: 9 mg/m ³ 8 ore

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Formic acid	Skin notation MAC: 1 mg/m³	TWA: 5 ppm TWA: 9.0 mg/m³	TWA: 9 mg/m³ 8 urah	STV: 5 ppm 15 minuter STV: 9 mg/m³ 15 minuter LLV: 3 ppm 8 timmar. LLV: 5 mg/m³ 8 timmar.	TWA: 5 ppm 8 saat TWA: 9 mg/m³ 8 saat

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL)	See table for values
Derived no Effect Level (DNEL)	See lable for values

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral		, ,	, ,	,
Dermal				
Inhalation	19 mg/m³	19 mg/m³	9.5 mg/m ³	9.5 mg/m ³

Predicted No Effect Concentration See values below.

Formic acid Revision Date Oct-2018

(PNEC)

Fresh water 2 mg/l
Fresh water sediment 13.4 mg/kg
Marine water 0.2 mg/l
Marine water sediment 1.34 mg/kg
Water Intermittent 1 mg/l
Microorganisms in sewage 7.2 mg/l

treatment

Soil (Agriculture) 1.5 mg/kg

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Face-shield or Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Neoprene	> 480 minutes	0.5 mm	Level 6	As tested under EN374-3 Determination of
Butyl rubber	> 480 minutes	0.7 mm	EN 374	Resistance to Permeation by Chemicals

Skin and body protection Chemical resistant apron. Boots. Chemical protection suit (EN 14605).

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type

E Yellow conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask: - Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Odor pungent

Odor Threshold No data available

pH 2.1 10 g/L aq.sol

Formic acid Revision Date Oct-2018

Melting Point/Range 8 °C / 46.4 °F **Softening Point** No data available

Boiling Point/Range 101 °C / 213.8 °F

@ 760 mmHg 50 °C / 122 °F Flash Point Method - No information available

Evaporation Rate No data available Not applicable Flammability (solid,gas) Liquid **Explosion Limits**

Lower 10 vol% Upper 57 vol%

44 mbar @ 20 °C **Vapor Pressure**

No data available (Air = 1.0)**Vapor Density**

1.220 Specific Gravity / Density

Bulk Density Not applicable Liquid

Miscible Water Solubility

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

Component log Pow Formic acid -0.54

520 °C / 968 °F **Autoignition Temperature Decomposition Temperature** No data available 1.47 mPa.s @ 20 °C **Viscosity** No information available **Explosive Properties**

No information available **Oxidizing Properties**

9.2. Other information

Molecular Formula C H2 O2 **Molecular Weight** 46.02

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Hygroscopic, heat sensitive, Decomposes to water and carbon dioxide.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

10.5. Incompatible materials

Strong oxidizing agents. Metals. Powdered metals. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen. Thermal decomposition can lead

explosive air/vapour mixtures possible

to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity:

Oral Category 4

Dermal Based on available data, the classification criteria are not met

Inhalation Category 3

Formic acid Revision Date Oct-2018

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Formic acid	730 mg/kg (Rat)		15 g/m³(Rat)15 min	

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

Target Organs None known.

(i) aspiration hazard;

Symptoms / effects,both acute and

delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains a substance which is: Harmful to aquatic organisms. The product contains

following substances which are hazardous for the environment.

Based on available data, the classification criteria are not met

	Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
ſ	Formic acid	Leuciscus idus: LC50 =	EC50 = 34 mg/L/48h	EC50 = 25 mg/L/96h	EC50 = 46.7 mg/L/17h
		46-100 mg/L/96h			_

12.2. Persistence and degradability Readily biodegradable

Miscible with water, Persistence is unlikely, based on information available. **Persistence**

Contains substances known to be hazardous to the environment or not degradable in waste Degradation in sewage

treatment plant water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Formic acid	-0.54	0.22

12.4. Mobility in soil The product is water soluble, and may spread in water systems . Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent <u>assessment</u>

and very bioaccumulative (vPvB).

12.6. Other adverse effects

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant This product does not contain any known or suspected substance

Formic acid Revision Date Oct-2018

Ozone Depletion Potential

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

Other Information

Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN1779

14.2. UN proper shipping name FORMIC ACID

 14.3. Transport hazard class(es)
 8

 Subsidiary Hazard Class
 3

 14.4. Packing group
 II

ADR

14.1. UN number UN1779

14.2. UN proper shipping name FORMIC ACID

14.3. Transport hazard class(es)8Subsidiary Hazard Class314.4. Packing groupII

IATA

14.1. UN number UN1779

14.2. UN proper shipping name FORMIC ACID

14.3. Transport hazard class(es)8Subsidiary Hazard Class314.4. Packing groupII

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories	X = listed
---------------------------	------------

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Formic acid	200-579-1	-		Χ	Χ	-	Х	Χ	Х	Χ	Х

Formic acid Revision Date Oct-2018

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class		
Formic acid	WGK 1	Class I: 20 mg/m³ (Massenkonzentration)		

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH071 - Corrosive to the respiratory tract

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

VOC - Volatile Organic Compounds

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date Oct-2013 **Next Revision Date** Oct-2023

Revision Summary SDS section 1 updated and update of Format

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

FSUF1900

Formic acid Revision Date Oct-2018

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet