

Creation Date Oct-2013

Revision Date Oct-2018

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identification

Product Description:	Hydrochloric acid			
Product Grade:	SQ, ER, ACS, CVS, Solution			
Cat No. :	Q29145, Q29147, Q29148, Q29507, Q29508,			
	Q2914C, Q29505, Q35805, Q29155, Q29157,			
	Q29505ACS, Q29505Z, Q29507ACS, Q2950C,			
Synonyma	Q36976, Q36986, Q36973 Muriatic acid			
Synonyms				
CAS No: Molecular Formula	7647-01-0 HCLH2O			
Reach Registration Number	01-2119484862-27			
Reach Registration Number	01-2110-002-21			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Recommended Use	Laboratory chemicals.			
Uses advised against	No Information available			
C C				
1.3. Details of the supplier of the sa	fety data sheet			
Company	Thermo Fisher Scientific India Pvt. I td			
Company	403-404, B-wing, Delphi, Hiranandani Business Park,			
	Powai, Mumbai 400076, INDIA.			
E-mail address	laboratorysolutions@thermofisher.com			
1.4. Emergency telephone number	India Toll Free: 18 00 22 22 30			
	Chemtrec US: (800)424-9300			
	Chemtrec EU: 001(202)483-7616			
	SECTION 2: HAZARDS IDENTIFICATION			

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Substances/mixtures corrosive to metal

Health hazards

Skin Corrosion/irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity - (single exposure)

<u>Environmental hazards</u> Based on available data, the classification criteria are not met

Category 1 B (H314) Category 1 (H318) Category 3 (H335)

Category 1 (H290)

2.2. Label elements

Hydrochloric acid



Signal Word

Danger

Hazard Statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

Precautionary Statements

P234 - Keep only in original container

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Hydrochloric acid 76	647-01-0			
	47-01-0	231-595-7	35-38	Met. Corr. 1 (H290) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335)
Water 77	'32-18-5	231-791-2	62-65	-

Reach Registration Number01-2119484862-27

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket

mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. 4.2. Most important symptoms and effects, both acute and delayed Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Corrosive Material. Causes burns by all exposure routes. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Hydrogen chloride gas.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not get in eyes, on skin, or on clothing.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Hydrochloric acid

Wear personal protective equipment. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Hydrochloric acid	TWA: 5 ppm 8 hr TWA: 8 mg/m ³ 8 hr STEL: 10 ppm 15 min STEL: 15 mg/m ³ 15 min		STEL / VLCT: 5 ppm. restrictive limit STEL / VLCT: 7.6 mg/m ³ . restrictive limit	TWA: 5 ppm 8 uren TWA: 8 mg/m ³ 8 uren STEL: 10 ppm 15 minuten STEL: 15 mg/m ³ 15 minuten	STEL / VLA-EC: 10 ppm (15 minutos). STEL / VLA-EC: 15 mg/m ³ (15 minutos). TWA / VLA- ED: 5 ppm (8 horas) TWA / VLA-ED: 7.6 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Hydrochloric acid	TWA: 5 ppm 8 ore. Media Ponderata nel Tempo TWA: 8 mg/m ³ 8 ore. Media Ponderata nel Tempo STEL: 10 ppm 15 minuti. Breve termine STEL: 15 mg/m ³ 15 minuti. Breve termine	TWA: 2 ppm (8 Stunden). AGW - exposure factor 2 TWA: 3 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 2 ppm (8 Stunden). MAK TWA: 3.0 mg/m ³ (8 Stunden). MAK Höhepunkt: 4 ppm Höhepunkt: 6 mg/m ³	STEL: 10 ppm 15 minutos STEL: 15 mg/m ³ 15 minutos Ceiling: 2 ppm TWA: 5 ppm 8 horas TWA: 8 mg/m ³ 8 horas	STEL: 15 mg/m³ 15 minuten TWA: 8 mg/m³ 8 uren	STEL: 5 ppm 15 minuutteina STEL: 7.6 mg/m³ 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Hydrochloric acid	MAK-KZW: 10 ppm 15 Minuten MAK-KZW: 15 mg/m ³ 15 Minuten MAK-TMW: 5 ppm 8 Stunden MAK-TMW: 8 mg/m ³ 8 Stunden	Ceiling: 5 ppm Ceiling: 8 mg/m ³	STEL: 4 ppm 15 Minuten STEL: 6 mg/m ³ 15 Minuten TWA: 2 ppm 8 Stunden TWA: 3.0 mg/m ³ 8 Stunden	STEL: 10 mg/m³ 15 minutach TWA: 5 mg/m³ 8 godzinach	Ceiling: 5 ppm Ceiling: 7 mg/m ³

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Hydrochloric acid	TWA: 5 ppm	TWA-GVI: 5 ppm 8	TWA: 5 ppm 8 hr.	STEL: 10 ppm	TWA: 8 mg/m ³ 8

Hydrochloric acid

Revision Date Oct-2018

TWA: 8.0 mg/m³ STEL : 10 ppmsatima. TWA-GVI: 8 mg/m³ 8 satima.TWA: 8 mg/m³ 8 hr. STEL: 10 ppm 15 minSTEL: 15 mg/m³ TWA: 5 ppmhodinách. Ceiling: 15 mg/m³ STEL: 15 mg/m³ STEL: 15 mg/m³ STEL: 15 mg/m³STEL : 15.0 mg/m³ STEL : 15.0 mg/m³ STEL-KGVI: 10 ppm 15 minutama.STEL: 10 ppm 15 min STEL: 15 mg/m³ 15 min STEL: 15 mg/m³TWA: 8 mg/m³ TWA: 8 mg/m³hodinách. Ceiling: 15 mg/m³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Hydrochloric acid	TWA: 5 ppm 8 tundides. TWA: 8 mg/m ³ 8 tundides. STEL: 10 ppm 15 minutites. STEL: 15 mg/m ³ 15 minutites.	TWA: 5 ppm 8 hr TWA: 8 mg/m ³ 8 hr STEL: 10 ppm 15 min STEL: 15 mg/m ³ 15 min	STEL: 5 ppm STEL: 7 mg/m ³ TWA: 5 ppm TWA: 7 mg/m ³	STEL: 16 mg/m³ 15 percekben. CK TWA: 8 mg/m³ 8 órában. AK	STEL: 5 ppm STEL: 8 mg/m ³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Hydrochloric acid	STEL: 10 ppm STEL: 15 mg/m ³ TWA: 5 ppm TWA: 8 mg/m ³	TWA: 5 ppm IPRD TWA: 8 mg/m³ IPRD STEL: 10 ppm STEL: 15 mg/m³	TWA: 5 ppm 8 Stunden TWA: 8 mg/m ³ 8 Stunden STEL: 10 ppm 15 Minuten STEL: 15 mg/m ³ 15 Minuten	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm 15 minuti STEL: 15 mg/m ³ 15 minuti	TWA: 5 ppm 8 ore TWA: 8 mg/m ³ 8 ore STEL: 10 ppm 15 minute STEL: 15 mg/m ³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Hydrochloric acid	MAC: 5 mg/m³	Ceiling: 15 mg/m ³ TWA: 5 ppm TWA: 8.0 mg/m ³	TWA: 5 ppm 8 urah anhydrous TWA: 8 mg/m ³ 8 urah anhydrous STEL: 10 ppm 15 minutah anhydrous STEL: 16 mg/m ³ 15 minutah anhydrous	CLV: 5 ppm CLV: 8 mg/m ³	TWA: 5 ppm 8 saat TWA: 8 mg/m ³ 8 saat STEL: 10 ppm 15 dakika STEL: 15 mg/m ³ 15 dakika

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

See table for values **Derived No Effect Level (DNEL)** Route of exposure Acute effects (local) Acute effects Chronic effects Chronic effects (systemic) (local) (systemic) Oral Dermal Inhalation 15 mg/m³ 8 mg/m³ **Predicted No Effect Concentration** See values below. (PNEC) **Fresh water** 36 µg/l Marine water 36 µg/l Water Intermittent 45 µg/l 36 µg/l Microorganisms in sewage treatment 8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Personal protective equipment	
Eye Protection	Goggles (European standard - EN 166)
Hand Protection	Protective gloves

Glove material Butyl rubber Nitrile rubber Neoprene gloves	Breakthrough time > 480 minutes > 480 minutes > 480 minutes	Glove thickness 0.5 mm 0.35 mm 0.5 mm	EU standard EN 374	Glove comments As tested under EN374-3 Determination of Resistance to Permeation by Chemicals
Viton (R)	> 480 minutes	0.4 mm		
PVC	> 480 minutes	0.5 mm		
Skin and body prot	ection Long sle	eeved clothing		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
	To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
	Recommended Filter type: Particulates filter conforming to EN 143 or Acid gases filter: Type E, Yellow.
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
	Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
	When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Physical State	Colorless Liquid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range	pungent No data available < 1 -35 °C / -31 °F No data available 57 °C / 135 °F	@ 760 mmHg
Flash Point Evaporation Rate	No information available No data available	Method - No information available
Flammability (solid,gas) Explosion Limits	Not applicable No data available	Liquid
Vapor Pressure Vapor Density Specific Gravity / Density	125 mbar @ 20 °C 1.27 1.18	(Air = 1.0)

Hydrochloric acid

Bulk Density	Not applicable	Liquid	
Water Solubility	Miscible		
Solubility in other solvents	No information available		
Partition Coefficient (n-octanol/wa	ater)		
Autoignition Temperature	No data available		
Decomposition Temperature	No data available		
Viscosity	1.8 mPa.s @ 15°C		
Explosive Properties	No information available		
Oxidizing Properties	No information available		
9.2. Other information			
Molecular Formula Molecular Weight	HCI.H2O 36.46		
-			

SECTION 10: STABILITY AND REACTIVITY			
10.1. Reactivity	None known, based on information available		
10.2. Chemical stability	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
Hazardous Polymerization Hazardous Reactions 10.4. Conditions to avoid	Hazardous polymerization does not occur. Contact with metals may evolve flammable hydrogen gas.		
	Incompatible products. Excess heat.		
<u>10.5. Incompatible materials</u>	Metals. Strong oxidizing agents. Bases. sodium hypochlorite. Amines. Fluorine. Cyanides. Alkaline.		

10.6. Hazardous decomposition products

Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Dermal

(a) acute	toxicity;
Oral	

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	LD50 238 - 277 mg/kg(Rat)	LD50 > 5010 mg/kg (Rabbit)	LC50 = 1.68 mg/L (Rat)1 h
Water	-		

Category 1 B (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization; Respiratory No data available

Skin	No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	Category 3
Results / Target organs	Respiratory system.
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	No data available
Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Hydrochloric acid

Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hydrochloric acid	282 mg/L LC50 96 h Gambusia affinis mg/L LC50 48 h Leucscus idus	56mg/L EC50 72h Daphnia	-	-

12.2. Persistence and degradability Persistence	Persistence is unlikely, based on information available.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	Water Soluble. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
<u>12.5. Results of PBT and vPvB</u> assessment	Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).
<u>12.6. Other adverse effects</u> Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods	
Waste from Residues / Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

Revision Date Oct-2018

Hydrochloric acid

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not dispose of waste into sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

<u>14.1. UN number</u>	UN1789
14.2. UN proper shipping name	Hydrochloric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	II
ADR	
<u>14.1. UN number</u>	UN1789
14.2. UN proper shipping name	Hydrochloric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	II
IATA	
<u>14.1. UN number</u>	UN1789
14.2. UN proper shipping name	Hydrochloric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	II

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the

IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories		X = listed									
Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Hydrochloric acid	231-595-7	-		Х	Х	-	Х	Х	Х	Х	Х
Water	231-791-2	-		Х	Х	-	Х	-	Х	Х	Х

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Hydrochloric acid	25 tonne	250 tonne

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Hydrochloric acid	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Legend

	<u>gena</u>			
CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory			
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances				
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer PNEC - Predicted No Effect Concentration LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative 			
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - Volatile Organic Compounds			
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS				

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Creation Date	Oct-2013
Next Revision Date	Oct-2023
Revision Summary	SDS section 1 updated and update of Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet