

Creation Date Oct-2013 Revision Date Oct-2018 Revision Number 2

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identification

Product Description: <u>Hydroxylamine hydrochloride</u>

Product Grade: SQ, ER

Cat No.: Q12854, Q12855, Q18764, Q18765

Synonyms Hydroxylammonium chloride, Oxammonium hydrochloride

 CAS-No
 5470-11-1

 EC-No.
 226-798-2

 Molecular Formula
 H3 N O. H Cl

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company Thermo Fisher Scientific India Pvt. Ltd

403-404, B-wing, Delphi, Hiranandani Business Park,

Powai, Mumbai 400076, INDIA.

E-mail address <u>laboratorysolutions@thermofisher.com</u>

1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30 Chemtrec US: (800)424-9300 Chemtrec EU: 001(202)483-7616

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## CLP Classification - Regulation (EC) No 1272/2008

#### Physical hazards

Substances/mixtures corrosive to metal Category 1

**Health hazards** 

Acute oral toxicityCategory 3Acute dermal toxicityCategory 4Skin Corrosion/irritationCategory 2Serious Eye Damage/Eye IrritationCategory 2Skin SensitizationCategory 1CarcinogenicityCategory 2Specific target organ toxicity - (repeated exposure)Category 2

**Environmental hazards** 

Acute aquatic toxicity Category 1

## 2.2. Label elements



#### Signal Word

#### Danger

#### **Hazard Statements**

H290 - May be corrosive to metals

H301 - Toxic if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

May form combustible dust concentrations in air

## **Precautionary Statements**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## 2.3. Other hazards

No information available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Hydroxylamine, hydrochloride	5470-11-1	226-798-2	>95	Met. Corr. 1 (H290) Acute Tox. 3 (H301) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Carc. 2 (H351) STOT RE 2 (H373) Aquatic Acute 1 (H400)

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

**Eye Contact** 

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Hydroxylamine hydrochloride Revision Date Oct-2018

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if

victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

## 4.2. Most important symptoms and effects, both acute and delayed

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Risk of explosion by shock, friction, fire or other sources of ignition. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Do not allow run-off from fire fighting to enter drains or water courses. Fine dust dispersed in air may ignite.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Remove all sources of ignition. Take precautionary measures against static discharges.

## 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional ecological information. Avoid release to the environment. Collect spillage.

#### Hydroxylamine hydrochloride

Revision Date Oct-2018

#### 6.3. Methods and material for containment and cleaning up

Remove all sources of ignition. Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Corrosives area.

#### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

## Hydroxylamine hydrochloride

Predicted No Effect Concentration No information available.

(PNEC)

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene PVC  Breakthrou See manufa recommend recommend	acturers -	<b>EU standard</b> EN 374	Glove comments (minimum requirement)	
--	------------	------------------------------	---	--

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts. abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask: - Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

AppearanceWhitePhysical StateSolid

**Odor** Odorless

Odor Threshold No data available

**pH** 2.5-3.5 5% aq.sol

Melting Point/Range 155 - 158 °C / 311 - 316.4 °F

Softening Point No data available
Boiling Point/Range No information available

Flash Point No information available Method - No information available

**FSUH1950** 

Page 5 / 10

Revision Date Oct-2018

Hydroxylamine hydrochloride Revision Date Oct-2018

**Evaporation Rate** Not applicable Solid

Flammability (solid, gas) No information available No data available **Explosion Limits** 

negligible **Vapor Pressure** 

**Vapor Density** Not applicable Solid 1.6700 Specific Gravity / Density

No data available **Bulk Density** 560 g/L (20°C) **Water Solubility** 

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Autoignition Temperature** 

152 °C **Decomposition Temperature** 

Solid Not applicable **Viscosity** 

No information available **Explosive Properties Oxidizing Properties** No information available

9.2. Other information

H3 NO. HCI Molecular Formula Molecular Weight 69.49

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity Yes

10.2. Chemical stability

Moisture sensitive, Air sensitive.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Avoid dust formation. Incompatible products. Excess heat. Exposure to air. Exposure to

moist air or water.

10.5. Incompatible materials

Strong oxidizing agents. Heavy metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride gas.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

#### **Product Information**

(a) acute toxicity;

Oral Category 3 **Dermal** Category 4 Inhalation No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydroxylamine, hydrochloride	LD50 = 141 mg/kg (Rat)		

Category 2 (b) skin corrosion/irritation;

Revision Date Oct-2018 Hydroxylamine hydrochloride

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 2

Limited evidence of a carcinogenic effect

(g) reproductive toxicity; No data available (h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 2

**Target Organs** Gastrointestinal tract (GI), spleen, Thyroid, Blood.

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

## SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

**Ecotoxicity effects** Very toxic to aquatic organisms. The product contains following substances which are

hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hydroxylamine, hydrochloride	LC50= 1-10 mg/L/48h			
	(Leuciscus idus)			

12.2. Persistence and degradability

Soluble in water, Persistence is unlikely, based on information available. **Persistence** 

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

treatment plant

12.3. Bioaccumulative potential Bioaccumulation is unlikely

12.4. Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB No data available for assessment.

assessment

12.6. Other adverse effects

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors **Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Ozone Depletion Potential** This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues / Unused Should not be released into the environment. Waste is classified as hazardous. Dispose of

**Products** in accordance with the European Directives on waste and hazardous waste. Dispose of in

Hydroxylamine hydrochloride Revision Date Oct-2018

accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Do not dispose of waste into sewer. Waste codes should be assigned by the user based on

the application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN2923

14.2. UN proper shipping name Corrosive solid, toxic, n.o.s

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupIII

ADR

**14.1. UN number** UN2923

14.2. UN proper shipping name Corrosive solid, toxic, n.o.s

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupIII

**IATA** 

**14.1. UN number** UN2923

14.2. UN proper shipping name Corrosive solid, toxic, n.o.s

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupIII

**14.5. Environmental hazards** Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Hydroxylamine, hydrochloride	226-798-2	-		Х	Х	-	Х	Χ	Х	Х	Х

#### **National Regulations**

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Hydroxylamine, hydrochloride	WGK 3	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment. Take note of Dir 94/33/EC on the protection of young people at work

#### Hydroxylamine hydrochloride

Revision Date Oct-2018

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### **SECTION 16: OTHER INFORMATION**

## Full Text of H-/EUH-Statements Referred to Under Section 3

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

#### Legend

Substances List

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Ships ATE - Acute Toxicity Estimate

**Transport Association** 

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

VOC - Volatile Organic Compounds

## Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Creation Date** Oct-2013 **Next Revision Date** Oct-2023

**Revision Summary** SDS section 1 updated and update of Format

## This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Revision Date Oct-2018

# **End of Safety Data Sheet**