

Creation Date Oct-2013

Revision Date Oct-2018

Revision Number 2

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identification

**Product Description:** Perchloric acid, 0.1 M solution in acetic acid  
**Cat No. :** Q29945, Q29947, Q29945FX

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Recommended Use</b>	Laboratory chemicals.
<b>Sector of use</b>	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
<b>Product category</b>	PC21 - Laboratory chemicals
<b>Process categories</b>	PROC15 - Use as a laboratory reagent
<b>Environmental release category</b>	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
<b>Uses advised against</b>	No Information available

### 1.3. Details of the supplier of the safety data sheet

**Company** Thermo Fisher Scientific India Pvt. Ltd  
 403-404, B-wing, Delphi, Hiranandani Business Park,  
 Powai, Mumbai 400076, INDIA.  
**E-mail address** [laboratorysolutions@thermofisher.com](mailto:laboratorysolutions@thermofisher.com)

### 1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30  
 Chemtrec US: (800)424-9300  
 Chemtrec EU: 001(202)483-7616

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

##### Physical hazards

Flammable liquids

Category 3

Substances/mixtures corrosive to metal

Category 1

##### Health hazards

Skin Corrosion/irritation

Category 1 A

Serious Eye Damage/Eye Irritation

Category 1

##### Environmental hazards

Based on available data, the classification criteria are not met

### 2.2. Label elements

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018



Signal Word

Danger

## Hazard Statements

H226 - Flammable liquid and vapor  
H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage

## Precautionary Statements

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower  
P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/ physician

## 2.3. Other hazards

No information available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

### 3.2. Mixtures

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Acetic acid	64-19-7	200-580-7	99	Flam. Liq. 3 (H226) Skin Corr. 1A (H314) Eye Dam. 1 (H318)
Perchloric acid	7601-90-3	EEC No. 231-512-4	1	Ox. Liq. 1 (H271) Met. Corr. 1 (H290) Acute Tox. 4 (H302) Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT RE 2 (H373)

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

contaminated clothing before re-use. Call a physician immediately.

## Ingestion

Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.

## Inhalation

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

## Protection of First-aiders

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire with water spray.

#### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area. Corrosives area.

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Acetic acid		STEL: 37 mg/m <sup>3</sup> STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	STEL / VLCT: 10 ppm. STEL / VLCT: 25 mg/m <sup>3</sup> .	TWA: 10 ppm 8 uren TWA: 25 mg/m <sup>3</sup> 8 uren STEL: 15 ppm 15 minuten STEL: 38 mg/m <sup>3</sup> 15 minuten	STEL / VLA-EC: 15 ppm (15 minutos). STEL / VLA-EC: 37 mg/m <sup>3</sup> (15 minutos). TWA / VLA-ED: 10 ppm (8 horas) TWA / VLA-ED: 25 mg/m <sup>3</sup> (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Acetic acid		TWA: 10 ppm (8 Stunden). AGW - exposure factor 2 TWA: 25 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 25 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 50 mg/m <sup>3</sup>	STEL: 15 ppm 15 minutos TWA: 10 ppm 8 horas TWA: 25 mg/m <sup>3</sup> 8 horas	MAC-TGG 25 mg/m <sup>3</sup>	TWA: 5 ppm 8 tunteina TWA: 13 mg/m <sup>3</sup> 8 tunteina STEL: 10 ppm 15 minuutteina STEL: 25 mg/m <sup>3</sup> 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
-----------	---------	---------	-------------	--------	--------

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

Acetic acid	MAK-KZW: 20 ppm 15 Minuten MAK-KZW: 50 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 10 ppm 8 Stunden MAK-TMW: 25 mg/m <sup>3</sup> 8 Stunden	TWA: 10 ppm 8 timer TWA: 25 mg/m <sup>3</sup> 8 timer	STEL: 20 ppm 15 Minuten STEL: 50 mg/m <sup>3</sup> 15 Minuten TWA: 10 ppm 8 Stunden TWA: 25 mg/m <sup>3</sup> 8 Stunden	STEL: 50 mg/m <sup>3</sup> 15 minutach TWA: 25 mg/m <sup>3</sup> 8 godzinach	TWA: 10 ppm 8 timer TWA: 25 mg/m <sup>3</sup> 8 timer STEL: 10 ppm 15 minutter. STEL: 25 mg/m <sup>3</sup> 15 minutter.
Perchloric acid				STEL: 3 mg/m <sup>3</sup> 15 minutach TWA: 1 mg/m <sup>3</sup> 8 godzinach	

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Acetic acid	TWA: 25.0 mg/m <sup>3</sup> STEL : 37.0 mg/m <sup>3</sup>	TWA-GVI: 10 ppm 8 satima. TWA-GVI: 25 mg/m <sup>3</sup> 8 satima.	TWA: 10 ppm 8 hr. TWA: 25 mg/m <sup>3</sup> 8 hr. STEL: 15 ppm 15 min STEL: 37 mg/m <sup>3</sup> 15 min	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup> 8 hodinách. Ceiling: 35 mg/m <sup>3</sup>
Perchloric acid	TWA: 2.0 mg/m <sup>3</sup>				TWA: 1 mg/m <sup>3</sup> 8 hodinách. Ceiling: 2 mg/m <sup>3</sup>

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Acetic acid	TWA: 10 ppm 8 tundides. TWA: 25 mg/m <sup>3</sup> 8 tundides. STEL: 10 ppm 15 minutites. STEL: 25 mg/m <sup>3</sup> 15 minutites.	TWA: 10 ppm 8 hr TWA: 25 mg/m <sup>3</sup> 8 hr	STEL: 15 ppm STEL: 37 mg/m <sup>3</sup> TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	STEL: 25 mg/m <sup>3</sup> 15 percekben. CK TWA: 25 mg/m <sup>3</sup> 8 órában. AK	TWA: 10 ppm 8 klukkustundum. TWA: 25 mg/m <sup>3</sup> 8 klukkustundum. Ceiling: 20 ppm Ceiling: 50 mg/m <sup>3</sup>

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Acetic acid	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	TWA: 10 ppm IPRD TWA: 25 mg/m <sup>3</sup> IPRD	TWA: 10 ppm 8 Stunden TWA: 25 mg/m <sup>3</sup> 8 Stunden	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	TWA: 10 ppm 8 ore TWA: 25 mg/m <sup>3</sup> 8 ore

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Acetic acid	Skin notation MAC: 5 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	TWA: 10 ppm 8 urah TWA: 25 mg/m <sup>3</sup> 8 urah	STV: 10 ppm 15 minuter STV: 25 mg/m <sup>3</sup> 15 minuter LLV: 5 ppm 8 timmar. LLV: 13 mg/m <sup>3</sup> 8 timmar.	TWA: 10 ppm 8 saat TWA: 25 mg/m <sup>3</sup> 8 saat

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

Dermal  
Inhalation

**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)  
**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Butyl rubber	recommendations			
Nitrile rubber				
Neoprene				
PVC				

**Skin and body protection** Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particulates filter conforming to EN 143 or Acid gases filter Type E Yellow conforming to EN14387

### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Colorless	
<b>Physical State</b>	Liquid	
<b>Odor</b>	Odorless	
<b>Odor Threshold</b>	No data available	
<b>pH</b>	0.1 @ 20°C	20°C, H2O
<b>Melting Point/Range</b>	No data available	
<b>Softening Point</b>	No data available	

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

<b>Boiling Point/Range</b>	No information available	
<b>Flash Point</b>	40 °C / 104 °F	<b>Method</b> - No information available
<b>Evaporation Rate</b>	No information available	
<b>Flammability (solid,gas)</b>	Not applicable	Liquid
<b>Explosion Limits</b>	No data available	
<b>Vapor Pressure</b>	No information available	
<b>Vapor Density</b>	No information available	(Air = 1.0)
<b>Specific Gravity / Density</b>	1.060	
<b>Bulk Density</b>	Not applicable	Liquid
<b>Water Solubility</b>	Miscible	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Component</b>	<b>log Pow</b>	
Acetic acid	-0.2	
<b>Autoignition Temperature</b>	485 °C / 905 °F	
<b>Decomposition Temperature</b>	No data available	
<b>Viscosity</b>	No data available	
<b>Explosive Properties</b>	No information available	explosive air/vapour mixtures possible
<b>Oxidizing Properties</b>	No information available	

## 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Hygroscopic.

### 10.3. Possibility of hazardous reactions

#### Hazardous Polymerization

No information available.

#### Hazardous Reactions

None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Heat, flames and sparks. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong bases.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Product Information

No acute toxicity information is available for this product

#### (a) acute toxicity;

##### Oral

Based on available data, the classification criteria are not met

##### Dermal

Based on available data, the classification criteria are not met

##### Inhalation

Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	3310 mg/kg ( Rat )	-	> 40 mg/L ( Rat ) 4 h
Perchloric acid	LD50 = 1100 mg/kg ( Rat )		

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

(b) skin corrosion/irritation;	Category 1 A
(c) serious eye damage/irritation;	Category 1
(d) respiratory or skin sensitization; Respiratory Skin	Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
(e) germ cell mutagenicity;	Based on available data, the classification criteria are not met Mutagenic effects have occurred in humans
(f) carcinogenicity;	Based on available data, the classification criteria are not met There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	Based on available data, the classification criteria are not met
(h) STOT-single exposure;	Based on available data, the classification criteria are not met
(i) STOT-repeated exposure; Target Organs	Based on available data, the classification criteria are not met None known.
(j) aspiration hazard;	Based on available data, the classification criteria are not met
Other Adverse Effects	Tumorigenic effects have been reported in experimental animals.
Symptoms / effects, both acute and delayed	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Acetic acid	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	EC50 = 95 mg/L/24h	-	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min

### 12.2. Persistence and degradability

#### Persistence Degradation in sewage treatment plant

Persistence is unlikely, Miscible with water, based on information available.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Acetic acid	-0.2	No data available

### 12.4. Mobility in soil

Spillage unlikely to penetrate soil. The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility but will likely degrade over time. Will likely be mobile in the environment due to its water solubility. Highly



# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

## 12.5. Results of PBT and vPvB assessment

mobile in soils  
No data available for assessment.

## 12.6. Other adverse effects **Endocrine Disruptor Information** **Persistent Organic Pollutant** **Ozone Depletion Potential**

This product does not contain any known or suspected endocrine disruptors  
This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### **Waste from Residues / Unused Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### **European Waste Catalogue (EWC)**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

#### **Other Information**

Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

<u>14.1. UN number</u>	UN2920
<u>14.2. UN proper shipping name</u>	CORROSIVE LIQUID, FLAMMABLE, N.O.S
<u>14.3. Transport hazard class(es)</u>	8
Subsidiary Hazard Class	3
<u>14.4. Packing group</u>	II

### ADR

<u>14.1. UN number</u>	UN2920
<u>14.2. UN proper shipping name</u>	CORROSIVE LIQUID, FLAMMABLE, N.O.S
<u>14.3. Transport hazard class(es)</u>	8
Subsidiary Hazard Class	3
<u>14.4. Packing group</u>	II

### IATA

<u>14.1. UN number</u>	UN2920
<u>14.2. UN proper shipping name</u>	CORROSIVE LIQUID, FLAMMABLE, N.O.S
<u>14.3. Transport hazard class(es)</u>	8
Subsidiary Hazard Class	3
<u>14.4. Packing group</u>	II

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable, packaged goods

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Acetic acid	200-580-7	-		X	X	-	X	X	X	X	X
Perchloric acid	231-512-4	-		X	X	-	X	X	X	X	X

#### National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Acetic acid	WGK 1	Class II : 0.10 g/m <sup>3</sup> (Massenkonzentration)
Perchloric acid	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full Text of H-/EUH-Statements Referred to Under Section 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H226 - Flammable liquid and vapor

H271 - May cause fire or explosion; strong oxidizer

H302 - Harmful if swallowed

#### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**PNEC** - Predicted No Effect Concentration

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

#### Key literature references and sources for data

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - Volatile Organic Compounds

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

# SAFETY DATA SHEET

Perchloric acid, 0.1 M solution in acetic acid

Revision Date Oct-2018

---

<b>Physical hazards</b>	On basis of test data
<b>Health Hazards</b>	Bridging principle "Substantially similar mixtures"
<b>Environmental hazards</b>	Bridging principle "Substantially similar mixtures"

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

<b>Creation Date</b>	Oct-2013
<b>Next Revision Date</b>	Oct-2023
<b>Revision Summary</b>	SDS section 1 updated and update of Format.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**