

Creation Date Oct-2013 Revision Date Oct-2017 Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: Polyethylene glycol - 6000 grade

Product Grade: SQ

Cat No.: Q26405, Q2640E

Synonyms PEG

CAS-No 25322-68-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Thermo Fisher Scientific India Pvt. Ltd

403-404, B-wing, Delphi, Hiranandani Business Park,

Powai, Mumbai 400076, INDIA.

E-mail address <u>laboratorysolutions@thermofisher.com</u>

1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30 Chemtrec US: (800)424-9300 Chemtrec EU: 001(202)483-7616

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

2.2. Label elements

Hazard Statements

Precautionary Statements

Revision Date Oct-2018

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Polyethylene glycol	25322-68-3		>95	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

Ingestion Do not induce vomiting. Get medical attention if symptoms occur.

Inhalation Move to fresh air. If not breathing, give artificial respiration. If symptoms persist, call a

physician.

Protection of First-aidersNo special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2).

5.3. Advice for firefighters

Polyethylene glycol - 6000 grade

Revision Date Oct-2018

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Avoid release to the environment. See Section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

Component	Italy	Germany	Portugal	The Netherlands	Finland
Polyethylene glycol		TWA: 1000 mg/m ³ (8		1000mg/m ³ MAC	
		Stunden). AGW -			
		exposure factor 8			
		TWA: 1000 mg/m ³ (8			
		Stunden). MAK average			
		molecular weight			
		200-600			
		Höhepunkt: 8000 mg/m ³			

Component	Austria	Denmark	Switzerland	Poland	Norway
Polyethylene glycol	MAK-KZW: 4000 mg/m ³	TWA: 1000 mg/m ³ 8	TWA: 1000 mg/m ³ 8		
	15 Minuten	timer	Stunden		

Polyethylene glycol - 6000 grade

Revision Date Oct-2018

MAK-T	MW: 1000 mg/m ³	
	8 Stunden	

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Polyethylene glycol	MAC: 10 mg/m ³	Ceiling: 8000 mg/m ³	TWA: 1000 mg/m ³ 8		
		TWA: 1000 mg/m ³	urah average MW		
		_	200-400 inhalable		
			fraction		
			STEL: 4000 mg/m ³ 15		
			minutah average MW		
			200-400 inhalable		
			fraction		

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects	Chronic effects	Chronic effects
Oral		(systemic)	(local)	(systemic)
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Safety glasses with side-shields (European standard - EN 166)

Hand Protection Protective gloves

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions.

Polyethylene glycol - 6000 grade

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance White Physical State Solid

Odor Odorless

Odor Threshold No data available

pH 5.0-7.0 10% in water

Melting Point/Range 55 - 60 °C / 131 - 140 °F

Softening Point No data available
Boiling Point/Range No information available

Flash Point No information available Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available Explosion Limits No data available

Vapor Pressure <0.01 mmHg @ 20 °C

Vapor Density Not applicable Solid

Specific Gravity / DensityNo data availableBulk DensityNo data available WaterSolubility550 g/L (20°C) Solubility in

other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature Not applicable
Decomposition Temperature No data available

Viscosity Not applicable Solid

Explosive PropertiesNo information available **Oxidizing Properties**No information available

9.2. Other information

Molecular Weight 6000

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Avoid dust formation. Incompatible products. Excess heat.

10.5. Incompatible materials

Strong oxidizing agents.

FSUP3681

Revision Date Oct-2018

Revision Date Oct-2018

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Polyethylene glycol	LD50 = 28 g/kg(Rat) LD50 = 22 g/kg(Rat)	LD50 > 20 mL/kg(Rabbit) LD50 > 20 g/kg(Rabbit)	

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

RespiratorySkin
No data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available

delayed

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Polyethylene glycol	LC50 = 10 g/L/96h			

12.2. Persistence and degradability

Persistence Soluble in water, Persistence is unlikely, based on information available.

Polyethylene glycol - 6000 grade

Revision Date Oct-2018

12.3. Bioaccumulative potential Bioaccumulation is unlikely

12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

European Waste Catalogue (EWC) According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

Revision Date Oct-2018

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listed International Inventories

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Polyethylene glycol	-	-	500-038-	X	Х	-	Х	Х	Х	Х	Х
			2								

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Polyethylene glycol	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

Legend

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Substances List

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - Volatile Organic Compounds

TWA - Time Weighted Average

EC50 - Effective Concentration 50%

LD50 - Lethal Dose 50%

Training Advice

Creation Date Oct-2013 **Next Revision Date** Oct-2023

Revision Summary SDS section 1 updated and update of Format.

FSUP3681

hygiene.

Polyethylene glycol - 6000 grade

Revision Date Oct-2018

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet