

Creation Date Oct-2013 Revision Date Oct-2018 **Revision Number 2**

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: Potassium dichromate

Product Grade: SQ. ER. CVS

Cat No.: Q19365, Q13385, Q19366, Q19368, Q1936E, Q37056

Synonyms Potassium bichromate.; Dipotassium dichromate; Dichromic acid, dipotassium salt

CAS-No 7778-50-9 EC-No. 231-906-6 Molecular Formula Cr2 K2 O7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. No Information available Uses advised against

1.3. Details of the supplier of the safety data sheet

Thermo Fisher Scientific India Pvt. Ltd Company

403-404, B-wing, Delphi, Hiranandani Business Park,

Powai, Mumbai 400076, INDIA.

laboratorysolutions@thermofisher.com E-mail address

1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30 Chemtrec US: (800)424-9300 Chemtrec EU: 001(202)483-7616

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Oxidizing solids Category 2 (H272)

Health hazards

Acute oral toxicity Category 3 (H301) Acute dermal toxicity Category 1 (H310) Acute Inhalation Toxicity - Dusts and Mists Category 2 (H330) Skin Corrosion/irritation Category 1 B (H314) Serious Eye Damage/Eye Irritation Category 1 (H318) Respiratory Sensitization Category 1 (H334) Skin Sensitization Category 1 (H317) Germ Cell Mutagenicity Category 1B (H340) Carcinogenicity Category 1B (H350)

Reproductive Toxicity

Category 1B (H360FD) (H360Fd)

Potassium dichromate Revision Date Oct-2018

Specific target organ toxicity - (repeated exposure)

Category 1 (H372)

Environmental hazards

Acute aquatic toxicity
Chronic aquatic toxicity
Chronic aquatic toxicity
Category 1 (H400)
Category 1 (H410)

2.2. Label elements



Signal Word

Danger

Hazard Statements

H272 - May intensify fire; oxidizer

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H360Fd - May damage fertility. Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P221 - Take any precaution to avoid mixing with combustibles

P371 + P380 + P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

P310 - Immediately call a POISON CENTER or doctor/ physician

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Additional EU labelling

Restricted to professional users

2.3. Other hazards

No information available

Potassium dichromate Revision Date Oct-2018

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Potassium dichromate	7778-50-9	EEC No. 231-906-6	>95	Ox. Sol. 2 (H272) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Acute Tox. 4 (H312) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 1B (H340) Carc. 1B (H350) Repr. 1B (H360FD) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Potassium dichromate Revision Date Oct-2018

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Chromium oxide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. Do not breathe vapors/dust. Avoid dust formation. Keep away from clothing and other combustible materials.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do

Potassium dichromate Revision Date Oct-2018

not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Corrosives area.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement.

Component	European Union	The United Kingdom	France	Belgium	Spain
Potassium		STEL: 0.15 mg/m ³ 15	TWA / VME: 0.001		TWA / VLA-ED: 0.05
dichromate		min	mg/m³ (8 heures).		mg/m³ (8 horas)
		TWA: 0.05 mg/m ³ 8 hr	restrictive limit		,
		Resp. Sens.	STEL / VLCT: 0.005		
		·	mg/m ³ . restrictive limit		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Potassium		Haut	TWA: 0.5 mg/m ³ 8 horas		TWA: 0.005 mg/m ³ 8
dichromate			TWA: 0.05 mg/m ³ 8		tunteina
			horas		

Component	Austria	Denmark	Switzerland	Poland	Norway
Potassium dichromate	Haut	Haut/Peau TWA: 0.005 mg/m		TWA: 0.005 mg/m ³ 8 timer	
			Stunden		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Potassium			Koža	Indicative STLV: 0.015	
dichromate				mg/m ³ 15 minuter total	
				dust	
				LLV: 0.005 mg/m ³ 8	
				timmar. total dust	

Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Potassium			Total Chromium: 0.01		
dichromate			mg/g creatinine urine		
			augmented during shift		
			Total Chromium: 0.03		
			mg/g creatinine urine		
			end of shift at end of		
			workweek		

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of

Potassium dichromate Revision Date Oct-2018

exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS12/2 Chromium and inorganic compounds of chromium in air Laboratory method using flame atomic absorption spectrometry

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral Dermal				
Inhalation				

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	when workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

Potassium dichromate Revision Date Oct-2018

system. Local authorities should be advised if significant spillages cannot be contained.

(5%)

Solid

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Orange Physical State Solid

Odor Odorless

Odor Threshold No data available

pH 4

Melting Point/Range 398 °C / 748.4 °F Softening Point No data available

Boiling Point/Range 500 °C / 932 °F

Flash Point No information available Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor Pressure No information available

Vapor Density Not applicable Solid

Specific Gravity / Density 2.676

Bulk Density No data available

Water Solubility soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposition Temperature > 500°C

Viscosity
Not applicable
Explosive Properties
No information available

Oxidizing Properties Oxidizer

9.2. Other information

Molecular Formula Cr2 K2 O7 Molecular Weight 294.19

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Oxidizer: Contact with combustible/organic material may cause fire.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

 $Incompatible\ products.\ Excess\ heat.\ Combustible\ material.\ Avoid\ dust\ formation.$

10.5. Incompatible materials

Strong oxidizing agents. Reducing agents. Acids. Strong bases. Acid anhydrides. Strong

reducing agents. Combustible material.

Potassium dichromate Revision Date Oct-2018

10.6. Hazardous decomposition products

Chromium oxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity;

Oral Category 3 **Dermal** Category 1 Category 2 Inhalation

Component		LD50 Oral	LD50 Dermal	LC50 Inhalation	
	Potassium dichromate	130 mg/kg (Rat)	1150 mg/kg (Rabbit)	0.09 mg/L/4h (Rat)	

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Category 1 Skin Category 1

No information available

(e) germ cell mutagenicity; Category 1B

May cause heritable genetic damage

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Potassium dichromate	Carc Cat. 1B			Group 1

(g) reproductive toxicity; Category 1B **Reproductive Effects** May impair fertility.

Developmental Effects Component substance is listed on California Proposition 65 as a developmental hazard.

Teratogenicity May cause harm to the unborn child.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 1

Target Organs Eyes, Skin, Respiratory system, Reproductive System, Liver, Kidney, Blood.

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and

Potassium dichromate Revision Date Oct-2018

> feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity **Ecotoxicity effects**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Potassium dichromate	LC50: = 26 mg/L, 96h	EC50: 1.4 mg/L 24h		
	static (Morone saxatilis)			
	LC50: 23 - 41.2 mg/L,			
	96h static (Poecilia			
	reticulata)			
	LC50: 24.81 - 34.55			
	mg/L, 96h semi-static			
	(Poecilia reticulata)			
	LC50: 14 - 20.9 mg/L,			
	96h static (Pimephales			
	promelas)			
	LC50: 15.41 - 30.36			
	mg/L, 96h flow-through			
	(Pimephales promelas)			
	LC50: 21.209 - 30.046			
	mg/L, 96h semi-static			
	(Oryzias latipes)			
	LC50: = 12.3 mg/L, 96h			
	semi-static			
	(Oncorhynchus mykiss)			
	LC50: 65.6 - 137.6			
	mg/L, 96h static			
	(Lepomis macrochirus)			
	LC50: = 320 mg/L, 96h			
	(Lepomis macrochirus)			
	`LĊ50: 113.6 - 155.7´			
	mg/L, 96h flow-through			
	(Lepomis macrochirus)			
	LC50: > 139 mg/L, 96h			
	static (Cyprinus carpio)			

12.2. Persistence and degradability The product includes heavy metals. Prevent release into the environment. Special

pretreatment required

Degradability

May persist, based on information available. Not relevant for inorganic substances.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate

12.4. Mobility in soil

Persistence

The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Other adverse effects

Potassium dichromate Revision Date Oct-2018

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Waste is classified as hazardous. Dispose of as hazardous waste in compliance with local and national regulations. Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Do not re-use empty containers. Dispose of in accordance with local regulations. Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information

Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN3087

14.2. UN proper shipping name OXIDIZING SOLID, TOXIC, N.O.S

14.3. Transport hazard class(es) 5.1
Subsidiary Hazard Class 6.1
14.4. Packing group II

ADR

14.1. UN number UN3087

14.2. UN proper shipping name OXIDIZING SOLID, TOXIC, N.O.S

14.3. Transport hazard class(es)5.1Subsidiary Hazard Class6.114.4. Packing groupII

<u>IATA</u>

14.1. UN number UN3087

14.2. UN proper shipping name OXIDIZING SOLID, TOXIC, N.O.S

14.3. Transport hazard class(es)5.1Subsidiary Hazard Class6.114.4. Packing groupII

<u>14.5. Environmental hazards</u> Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

SECTION 15: REGULATORY INFORMATION

Potassium dichromate Revision Date Oct-2018

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Potassium dichromate	231-906-6	-		X	Х	-	Χ	Χ	Χ	Χ	Х

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Potassium dichromate	Carcinogenic Category 1B, Mutagenic Category 1B, Toxic for reproduction Category 1B Article 57 Application date: March 21, 2016 Sunset date: September 21, 2017 Exemption - None	Use restricted. See item 28. (see http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details) Use restricted. See item 29. (see http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details) Use restricted. See item 30. (see http://eur-lex.europa.eu/LexUriServ/LexUriServ/LexUriServ/LexUriServ/Lo?uri=CELEX:32006R190 7:EN:NOT for restriction details)	

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Potassium dichromate	WGK 3	

Component France - INRS (Table		France - INRS (Tables of occupational diseases)
Potassium dichromate Tableaux des maladies profess		Tableaux des maladies professionnelles (TMP) - RG 10,RG 10bis,RG 10ter

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H360Fd - May damage fertility. Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

Potassium dichromate Revision Date Oct-2018

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H272 - May intensify fire; oxidizer H312 - Harmful in contact with skin

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

Persistent, Bioaccumulative, Toxic

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% No Observed Effect Concentration

TWA - Time Weighted Average IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% NOEC -POW - Partition coefficient Octanol:Water PBT vPvB - very Persistent, very Bioaccumulative

Transport Association

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical incident response training.

Creation Date Oct-2013 Oct-2023 **Next Revision Date**

Revision Summary SDS section 1 updated and update of Format.

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet