

Creation Date Oct- 2013 Revision Date Oct- 2018 Revision Number 2

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identification

Product Description: Silver nitrate 0.1M

Product Grade: Solution

**Cat No. :** Q37106, Q37103

**Synonyms :** Silver Nitrate N/10 solution

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company Thermo Fisher Scientific India Pvt. Ltd

403-404, B-wing, Delphi, Hiranandani Business Park,

Powai, Mumbai 400076, INDIA

E-mail address <u>laboratorysolutions@thermofisher.com</u>

1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30 Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

#### **Physical hazards**

Substances/mixtures corrosive to metal Category 1 (H290)

**Health hazards** 

Skin Corrosion/irritation Category 2 (H315)
Serious Eye Damage/Eye Irritation Category 2 (H319)

**Environmental hazards** 

Acute aquatic toxicity Category 1 (H400)

Silver nitrate 0.1M Revision Date Oct- 2018

Chronic aquatic toxicity Category 1 (H410)

### 2.2. Label elements



Signal Word

Warning

#### **Hazard Statements**

H290 - May be corrosive to metals

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/ attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P390 - Absorb spillage to prevent material damage

#### 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Silver nitrate	7761-88-8	EEC No. 231-853-9	1-2.5	Ox. Sol. 2 (H272) Met. Corr. 1 (H290) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Water	7732-18-5	231-791-2	97.5-99	-

Component	Reach Registration Number	
Silver nitrate	01-2119513705-43	

Full text of Hazard Statements: see section 16

Silver nitrate 0.1M Revision Date Oct- 2018

### **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Do not allow run-off from fire fighting to enter drains or water courses. None reasonably foreseeable.

### **Hazardous Combustion Products**

Nitrogen oxides (NOx), Metal oxides.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

Silver nitrate 0.1M Revision Date Oct- 2018

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement.

Component	The United Kingdom	European Union	Ireland
Silver nitrate	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> 8 hr	
	STEL: 0.03 mg/m <sup>3</sup>	_	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Silver nitrate 0.1M Revision Date Oct- 2018

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral Dermal				
Inhalation				

Predicted No Effect Concentration No information available.

(PNEC)

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

PVC
-----

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Liquid

Silver nitrate 0.1M Revision Date Oct- 2018

Odor No information available

**Odor Threshold** No data available No information available рΗ

Melting Point/Range No data available

**Softening Point** No data available **Boiling Point/Range** No information available

Flash Point No data available Method - No information available

**Evaporation Rate** No data available Not applicable Flammability (solid, gas)

**Explosion Limits** No data available

No data available **Vapor Pressure** Vapor Density No data available

(Air = 1.0)

Specific Gravity / Density 1.01

**Bulk Density** Not applicable Liquid Completely soluble

**Water Solubility** No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

log Pow Component Silver nitrate 0.19

**Autoignition Temperature** No data available **Decomposition Temperature** No data available **Viscosity** No data available No information available **Explosive Properties Oxidizing Properties** No information available

#### 9.2. Other information

### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Light sensitive.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to light.

10.5. Incompatible materials

Combustible material.

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Metal oxides.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

#### **Product Information**

Revision Date Oct- 2018 Silver nitrate 0.1M

(a) acute toxicity;

Based on available data, the classification criteria are not met Oral

No data available Dermal Inhalation No data available

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silver nitrate	> 2000 mg/kg (Rat)		
Water	-		

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

No data available (i) STOT-repeated exposure;

**Target Organs** None known.

No data available (j) aspiration hazard; Symptoms / effects,both acute and No information available

delayed

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Silver nitrate		EC50: 0.0006 mg/L/48h		Photobacterium
	0.029 mg/L/96h	(M = 100 acute)		phosphoreum: EC50:
		(M = 1000 chronic)		0.038 mg/L/24h
				Photobacterium
				phosphoreum: EC50:
				0.395 mg/l/15min
				Photobacterium
				phosphoreum: EC50:

Silver nitrate 0.1M Revision Date Oct- 2018

		0.44 mg/L/30 min as
		Ag++ Photobacterium
		phosphoreum: EC50:
		0.86 mg/L/15 min as
		Ag++

### 12.2. Persistence and degradability

treatment plant

Persistence Soluble in water, Persistence is unlikely, based on information available.

**Degradability** Not relevant for inorganic substances.

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential ; Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Silver nitrate	0.19	No data available

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB In accordance with Annex XIII of the REACH Regulation, inorganic substances do not

<u>assessment</u> require assessment.

12.6. Other adverse effectsEndocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues / Unused Should not be released into the environment. Dispose of in accordance with local

**Products** regulations. Waste is classified as hazardous. Dispose of in accordance with the European

Directives on waste and hazardous waste.

Directives on waste and nazardous waste

Contaminated Packaging Dispose of in accordance with local regulations. Dispose of this container to hazardous or

special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Do not dispose of waste into sewer. Waste codes should be assigned by the user based on

the application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

### **SECTION 14: TRANSPORT INFORMATION**

### IMDG/IMO

**14.1. UN number** UN3264

14.2. UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S

8

Technical Shipping Name Silver nitrate solution

14.3. Transport hazard class(es)

14.4. Packing group

#### **ADR**

**FSUJ7330** 

Silver nitrate 0.1M Revision Date Oct- 2018

**14.1. UN number** UN3264

14.2. UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S

Technical Shipping Name Silver nitrate solution

14.3. Transport hazard class(es) 8 14.4. Packing group III

<u>IATA</u>

**14.1. UN number** UN3264

14.2. UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S

Technical Shipping Name Silver nitrate solution

**14.3. Transport hazard class(es)** 8 **14.4. Packing group** III

<u>14.5. Environmental hazards</u> Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

**IBC Code** 

### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed.

Component	EINECS	<b>ELINCS</b>	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Silver nitrate	231-853-9	-		X	Х	-	X	Χ	X	Χ	KE-3128
											1
Water	231-791-2	-		Х	Х	-	Χ	-	Х	Х	KE-3540
											0

#### **National Regulations**

WGK Classification Water endangering class = 3 (self estimation)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Silver nitrate	WGK 3	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

#### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H272 - May intensify fire; oxidizer

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Revision Date Oct- 2018 Silver nitrate 0.1M

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

**CAS** - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit **ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50% No Observed Effect Concentration Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

Key literature references and sources for data

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% NOEC -POW - Partition coefficient Octanol:Water PBT vPvB - very Persistent, very Bioaccumulative

> ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - Volatile Organic Compounds

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

**Creation Date** Oct-2013 **Next Revision Date** Oct-2023

SDS section 1 updated and update of Format **Revision Summary** 

### This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**