

Creation Date Oct-2013

Revision Date Oct-2018

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identification

Product Description:	<u>Sodium bisulfite</u>
Product Grade:	SQ
Cat No. :	Q27665
Synonyms	Sodium hydrogen sulfite, Sodium bisulphite
CAS-No	7631-90-5
EC-No.	231-548-0
Molecular Formula	H Na O3 S
Reach Registration Number	01-2119524563-42

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Thermo Fisher Scientific India Pvt. Ltd Company 403-404, B-wing, Delphi, Hiranandani Business Park, Powai, Mumbai 400076, INDIA. E-mail address laboratorysolutions@thermofisher.com

1.4. Emergency telephone number

India Toll Free: 18 00 22 22 30 Chemtrec US: (800)424-9300 Chemtrec EU: 001(202)483-7616

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity

Category 4 (H302)

Environmental hazards Based on available data, the classification criteria are not met

2.2. Label elements

Sodium bisulfite



Signal Word

Warning

Hazard Statements H302 - Harmful if swallowed EUH031 - Contact with acids liberates toxic gas

Precautionary Statements

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P312 - Call a POISON CENTER or doctor/ physician if you feel unwell P264 - Wash face, hands and any exposed skin thoroughly after handling

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Sodium bisulfite	7631-90-5	EEC No. 231-548-0	>95	Acute Tox. 4 (H302) (EUH031)

Reach Registration Number	01-2119524563-42

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

Revision Date Oct-2018

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Sodium bisulfite

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons Water.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Sulfur oxides, Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

ACR41944

Sodium bisulfite

Wear personal protective equipment. Avoid dust formation. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from acids.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Sodium bisulfite		STEL: 15 mg/m ³ 15 min	TWA / VME: 5 mg/m3 (8	TWA: 5 mg/m ³ 8 uren	TWA / VLA-ED: 5 mg/m ³
		TWA: 5 mg/m ³ 8 hr	heures).		(8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Sodium bisulfite			TWA: 5 mg/m ³ 8 horas		

Component	Austria	Denmark	Switzerland	Poland	Norway
Sodium bisulfite		TWA: 5 mg/m ³ 8 timer	TWA: 5 mg/m ³ 8		TWA: 5 mg/m ³ 8 timer
			Stunden		STEL: 10 mg/m ³ 15
					minutter.

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Sodium bisulfite		TWA-GVI: 5 mg/m ³ 8	TWA: 5 mg/m ³ 8 hr.		
		satima.	STEL: 15 mg/m ³ 15 min		

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Sodium bisulfite			TWA: 5 mg/m ³		TWA: 5 mg/m ³ 8
			_		klukkustundum.
					regulated under Sodium
					bisulfate
					Ceiling: 10 mg/m ³
					regulated under Sodiun
					bisulfate

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Sodium bisulfite	MAC: 5 mg/m ³				

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral Dermal Inhalation				

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Hand Brotastian

Eye Protection	Goggles	(European standard -

Drotootivo alovoo

Hand Protection		Protectiv	e gioves		
Glove material Natural rubber Nitrile rubber Neoprene PVC	See mar	rough time nufacturers nendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
Skin and body pro	tection	Long sle	eved clothing		

EN 166)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Physical State	White Powder Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range	rotten-egg like No data available 4-5 150 °C / 302 °F No data available No information available	25% aq. sol
Flash Point	No information available	Method - No information available
Evaporation Rate Flammability (solid,gas) Explosion Limits	Not applicable No information available No data available	Solid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility	No information available Not applicable 1.480 No data available 300 g/l	Solid
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wate Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	Pr) Not applicable No data available Not applicable No information available No information available	Solid
9.2. Other information		

Molecular Formula	H Na O3 S
Molecular Weight	104.06

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	Yes
10.2. Chemical stability	Moisture sensitive.
10.3. Possibility of hazardous reaction	<u>ons</u>
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Avoid dust formation. Excess heat. Exposure to air. Incompatible products. Exposure to moist air or water. Temperatures above 150°C. acids.
10.5. Incompatible materials	Acids. Metals.

10.6. Hazardous decomposition products

Sulfur oxides. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

(a) acute toxicity;	
Oral	Category 4
Dermal	No data available
Inhalation	No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium bisulfite	LD50 = 1310 mg/kg (Rat)		

(b) skin corrosion/irritation;	No data available
(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available No information available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available

(i) STOT-repeated exposure; No data available

Target OrgansNone known.

(j) aspiration hazard; Not applicable Solid Symptoms / effects,both acute and delayed

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects Sodium bisulfite

SAFETY DATA SHEET

Revision Date Oct-2018

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sodium bisulfite	LC50: = 240 mg/L, 96h static (Gambusia affinis)	EC50: = 119 mg/L, 48h (Daphnia magna)		

12.2. Persistence and degradability Persistence Degradability	Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
<u>12.5. Results of PBT and vPvB</u> assessment	No data available for assessment.
<u>12.6. Other adverse effects</u> Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO	Not regulated
<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> 14.3. Transport hazard class(es) 14.4. Packing group	
ADR	Not regulated

IATA

Not regulated

Sodium bisulfite

14.1. UN number		
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
14.4. Packing group		

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

<u>14.7. Transport in bulk according to</u> Not applicable, packaged goods <u>Annex II of MARPOL73/78 and the</u> IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Sodium bisulfite	231-548-0	-		Х	Х	-	Х	Х	Х	Х	Х

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Sodium bisulfite	WGK 1	

France - INRS (Tables of occupational diseases)
Tableaux des maladies professionnelles (TMP) - RG 66

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

EUH031 - Contact with acids liberates toxic gas

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances	I DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
, and the second s	·
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	PNEC - Predicted No Effect Concentration
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%

Revision Date Oct-2018

NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by RoadIMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods CodeOECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factorKey literature references and sources for data	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - Volatile Organic Compounds
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, I	RTECS
hygiene.	fety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date	Oct-2013
Next Revision Date	Oct-2023
Revision Summary	SDS section 1 updated and update of Format.

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Sodium bisulfite